Arnold Arboretum Library

Purchased from the Income

of the

Mary Robeson Sargent Fund

Received

Digitized by the Internet Archive
in 2015

https://archive.org/details/mercuriibotanici1641john

THOMÆ JOHNSONI
Mercurius Botanicus.

SIVE

Plantarum gratiâ ſuſcepti

Itineris, Anno

M.DC.XXXIV.

Deſcriptio.

&c. &c. &c.

Ejusdem

Mercurii Botanici

pars altera.

Sive

ITINERIS in CAMBRIAM

Deſcriptio.

&c. &c. &c.

Londini 1641.

....

Nup. edit. *T. S. RALPH.*

....

Londini:

Sumptibus *GULIEL. PAMPLIN.*

M.DCCC.XLIX.

46377
March 7, 1947

Viris Clariſs. Doctiſs.

D. Theodoro de Mayerne,
Equiti aurato, Baroni Albonæ in Aula Britannica Archiatrorum Comiti,

D. Matthæo Liſtero, Regiæ Majeſt.
Archiatro digniſs.

D. Ottuello Meverello
D. Laurentio Wrighto } *Colleg. Med. Lond. Sociis digniſs.*

Tho. Iohnson ſuo & Sociorum nomine S. P. D.

P*Ropensa Vestra V.V. CL. ad hæc studia Botanica promovenda voluntas animos nobis addidit, ut vestris digniss. manibus offerremus hæc nostra* (*ut verè cum Poeta loquar*) nullo munuscula cultu. *Neq' hoc fecimus pro hujus opusculi dignitate, sed ut Vos Amplissimos nostræ diligentiæ testes haberemus. Nemo enim ritè de re aliqua judicare possit, nisi ille qui in eadem*

eadem aliquandiu versatus est ; ἕκαϛὸς δὲ κρίνει καλῶς *(inquit Philosophus)* ἃ γινώσκει, καὶ τȣ́των ἐϛὶν ἀγάθὸς κριτὴς. *Vos in hac palæstra aliquandiu non sine laude versatos novimus, ideoq́ optimo jure Vos V.V. Cl. nostrarum actionum Botanicarum Iudices constituimus. Quamvis enim (teste* Fernelio) simplicium cognitio, collectio, delectus, expurgatio, conservatio, præparatio, correctio, & miscendi industria seorsim ad Pharmacopæos referuntur ac pertinent ; *tamen Medicorum est horum omnium gnaros & peritos esse. Sed cùm pauci admodum inveniantur, qui aliquos laude dignos profectus in hac Medicinæ parte fecerunt, fato nescio quo comparatum est, ut nos nostris conatibus botanicis invidiam potius quàm laudem à multis meriti simus. Attamen aliquid solatii & oblectamenti nobis præbet, quod maximi viri & Medici & Pharmacopæi operam & otium, sic collocarunt ;* Iulius Cæsar Scaliger *hac arte ad Artem Medicam adductus fuit. Namque hujus Artis* ardorem accendebat usus & familiaritas Medici Taurinensis, nescio cujus, & Pharmacopolæ rei herbariæ peritissimorum ; qui ubi eum semel & iterum in montana ad her-

Ios. Scal. Ep. I. *ad Jan. Dousam.*

herbarum investigationem deduxissent, accidit, ut eum nihil minus quàm tale cogitantem, alter disputationibus suis, alter peritiâ ὕλης ἰατρικῆς, ad Medicinæ studium incitarent. *Sed ut ad alios veniam,* Anguillara, Rondeletius, Matthiolus, Bellonius, Pena, Lobelius, Clusius, Camerarius, Pennius, Bauhinus, Spigelius, *& multi alii doctissimi viri in herbarum investigatione multum operis impendêrunt.* Conradus Gesnerus *hujusmodi scriptum de itinere ad Montem* Fractum *publicum fecit. Montemque* Baldum *plantasque ibi & in via à* Verona *ad* Baldum *crescentes primùm descripsit* Franciscus Calceolarius *Pharmacopæus Veronensis ; Post eum* Iohannes Pona, *ejusdem Civitatis Pharmacopæus, alteram itineris ad* Baldum *descriptionem nobis dedit. Itaque horum exemplo confirmati decrevimus majores in plantarum investigatione progressus facere, ad ulteriorem hujus herbariæ scientiæ promotionem.*

Vosque V.V. Cl. rogatos velimus, ut quanto aliis hâc peritiâ superiores estis, tanto paratiores inveniamini ad eorum patrocinium suscipiendum, qui hujusmodi studiis dediti sunt, quò meliùs vobis &

 aliis

aliis usui esse possint; Hácque vestrâ humanitate & benevolentiâ freti gratias plurimas, easque maximas cum debita observantia Vobis referre satagent

Vestrum

Studiosissimi

Socii Itinerantes.

MER-

Mercurius Botanicus.

ſive

Plantarum gratiâ ſuſcepti
Itineris Deſcriptio.

INter tot, tantaque a Deo Opt. Maximo in usus mortalium creata, nihil tantâ varietate præditum, nihil tam utile, tam jucundum, quam Plantarum genus. Si earum antiquitatem respicias, fuerunt ante Animalia, Sole etiam & Luna nondum existentibus, condita; si varios usus in cibis, medicinâ, arte tinctoriâ, agriculturâ, navigatione, militiâ, &c. enumerare velim, nullo modo potis sim. Recte de his *Plinius*; In ipsis (inquit) providentiam naturæ satis admirari, amplectique non est. Dederat quas diximus molles, cibisque gratas. Pinxerat remedia in floribus, visuque ipso animos invitaverat, etiam delitijs auxilia permiscens. Inde excogitavit aliquas aspectu

Lib. 22, *cap.* 6.

aspectu hispidas, tactu truces, ut tantum non vocem ipsius singentas illas, rationemque reddentis exaudire videamur, ne se depascat avida quadrupes, ne procaces manus rapiant, ne neclecta vestigia obterant, ne insidens ales infringat; his muniendo aculeis, telisqve armando remedijs ut tuta ac salva sint. Ita hoc quoque quod in ijs odimus hominum causâ excogitatum est.

Sed ut non effusius laudare videar, ea quæ ab omnibus frequenti usu sat laudis habeant, alio me vertam nempe ad earum cognitionem. Quanto enim sua natura aliquid excellentius est, tanto major ejus cognitio habetur; veluti enim Deitas cætera cuncta in unum collata multo superat, sic Theologia alijs scientijs palmam merito præripuit. Huic proximum locum tenet Medicina quæ ut recte summus ejus Author *Hippocrates* Τεχνέων μὲι πασέων ἔςίν ἐπιφανεςάτη. Omissis ergo, quæ in alijs plantæ præstare possint, quid antiquitatis, dignitatis & necessitatis, hic habent (quæ omnia ex earum cognitione pendent) paucis expediam. Herbarum peritia antiquissima, Artis enim fundamenta jecit, ἡ ἀρχαία ἰατρικὴ (ut recte Homeri Scholiastes annotavit) ἐν Βοτανaις ἦν. Apollo ille Ovidanus cui antiquitas medicinæ inventum tribuit, maxime gloriatur hisce verbis.

Metam. Lib. 1.

Inventum medicina meū est, opiferque per orbem
Dicor; & herbarum subjecta potentia nobis;

Quasi plantarum scientia præcipua Artis medicæ (ejus inventi) pars esset; statim etiam subijcit.

Hei

Hei mihi quod nullis amor est medicabilis herbis. Ac si morbus esset incurabilis, qui non herbarum viribus cedat.

Pro hujus botanicæ peritiæ dignitate stant mortalium sapientiss. ille Schalomo Iudeorum Rex, ut etiam Gentius Illyrij, Lysimachus Macedoniæ, Mithridates Ponti, Iuba Mauritaniæ, Attalus Pergami, Evax Arabum Rex : ut reliquos Imperatores, Reges, Heroas taceam. Si Medicorum, Philosophorum, & reliquorum catervam, qui ad hujus defensionem in procinctu steterunt, enumerare velim, ætas deficeret.

Ejas tanta, talisque necessitas semper extitit, ut nemo sine eâ recte medicinam facere possit, ut cum *Orobasio* testatur ipsa veritas. Sed objicias, unde tantus hujus, (si modo tam necessaria ejus cognitio sit) apud multos nostri seculi medicos neglectus ? *Fabij Columnæ* viri doctissimi verbis respondeo ; Hæc prefecto potissima ignorationis hujus Medicinæ partis primariæ connexa occasio, summo hominum damno, ut medicorum quorundam proveniat superbia, ac invidia, qui ne ipsi hac parte deficere videantur, illam spernunt velut ignobilem. Sed unde Medici dicuntur, nisi ab ipso medendi actu ? in quo ille medebitur Medicus, si locis contingat pharmacopolis carentibus artem exercere ? anne verbis ? an sufficiet noscere morbum ? Medici quidem nomine ex seipso privari videbitur ; tunc enim reipsa medicamenta novisse oportere fatebitur. Sed hic tacendum.

Minus cogn. stirp. cap. I.

Hactenus

Hactenus breviter de plantarum, & botanicæ peritiæ excellentia verba feci; nunc, quæ ad hanc scientiam acquirendam necessaria sint, paucis narrabo. Conditiones quæ ab *Hippocrate* necessariæ ad totam medicinam comparandam judicatæ sunt, ad hanc peritiam assequendam requiruntur φύσις, διδασκαλία, τόπος εὐφυὴς, παιδομαθία, φιλοπονία, χρόνος. *Natura* primas tenet, quâ invitâ omnes conatus irriti cadunt.

Doctrina percipitur vel ex mutis magistris, vel vocalibus, ex neutris multum perficitur, nisi accedat αὐτοψία, quâ mediante alijs auxilijs non distitutus magnos brevi progressus, aliquis facere possit. *Locus aptus* non sub unâ voce cadit, est enim sylvis, pratis, montibus, agris, hortis, & denique ubicunque plantæ crescere possint. *Institutio* a teneris annis, aut saltem per multum temporis hic requiritur ad exactam harum notitiam acquirendam, scitè *Galenus* lib. I. de Antidotis. Quemadmodum (inquit) in pueris gemellis invicem similibus, qui quidé non eis assuerunt, alterú ab altero nequeunt discernere, his autem qui unâ vixerunt facillima est dignotio, ita habet in omnibus quoque medicamentis, nam qui inter ea educatus est, frequenter vidit ex facili vel parvas differentias & invenit & cognoscit. Qui vero semel aut bis conspexerit, tanquam indifferens alterum ab altero spectabit, quod nonnunquam manifestissimum habet discrimen, ei qui frequenter intuitus est manifesto apparens, ut etiam ex uno accidentium ipsius facile sit cognoscere. *Industria* maxim hic se exercere ultra

satietatem

satietatem possit, & mediocris magnos progressus haud factura est. Indefatibilem oportet esse, qui maritima, clivosa, aspera, montosa, pratensia, rigua, sata & similia loca curiosè lustrare satagit. Nec omnis fert omnia tellus, exoticæ quotannis nostrorum hortorum inquilini factæ sunt, & omnis fere dies aliquid apportat novi. Zalapium & Pistolochiam Virginianam nobis primum nostrâ ætate transmisit America, sed quid de illis jam omnibus notis? Quis vero de Matalista (ut, multa novitèr reperta, quæ nondum in usum ducuntur, taceam) aliquid publicè commentatus est? Multa veniens ætas nobis planè ignota visura est. Diligentiæ, industriæque locus in hac arena nunquam defuturus est. *Tempus* opportunū in hoc studium impendi ex Dioscoride habe. Quare cui in animo est harum peritiā assequi, necesse est eum primâ germinatione solo emergentibus, adultis & senescentibus adesse. Nam qui pullulanti herbæ duntaxat adstiterit, adultam cognoscere non potest, neque qui adultam tantum inspexerit, nuper erumpentem noscet. Quo fit, ut propter mutatam foliorum faciem, caulium proceritates, florum seminisque magnitudinem, & id genus alias peculiares notas, nonnulli qui harum rerum varietates non perspexerunt magno in errore versentur.

His talibusque diligenter consideratis, nos qui φαρμακευτικὴν, θεραπευτικῆς κάλλιστον μέρος possidemus, in Artis usu enutriti, qui πολλὰ ἐξ ἐκείνων τὰ φάρμακα κατασκευάζομεν, nostrûm esse duximus solerti studio inquirere & investigare quic-

quicquid plantarum, felix hæc fertilisque Insula nostra producit, & in hunc finem, Agrum Cantianum retrò elapsis annis, majore ex parte lustravimus, & herbarum quicquid ibi observavimus ex scriptâ relatione alijs commune fecimus. Sed hoc anno crescente in dies nocendi cupiditate, majora suscipere non dubitavimus, itaque (præter solitum sumptis in subsidium equis) ad hoc negotium paratos, 14 Iulij se præbent *Richardus Edwards* Societatis Pharmaceutices *Lond.* eo temporis Magister *Edwardus Cooke* Guardianus superior, *Tho. Hickes* Magister nuper electus, *Rogerus Henricus Yonge*, *Gulielmus Broad*, *Robertus Lorkin*, *Iacobus Clarke*, cum tribus alijs ijs famulantibus. Hi conscensis equis, & vulgatâ viâ triginta nostratium milliarium spatium emensi Reading satis amplum & notum oppidum perveniunt; ibique pernoctantes fruebantur societate viri doctiss. *Iohannis Bird* Medici, ut etiam *Iohannis Watlington* Pharmacopæi, qui eos comitatus est usque ad Marleborrow, ubi sequente nocte hospitio excipiuntur; & egomet Bathoniâ ijs huc usque obviam processi.

Hic postero mane ferè ad Meridiem præstolabamur adventum Socij nostri *Iohannis Buggs* Med. Doctoris, qui sole jam ad occasum vergente *Oxoniâ* una cum Ornatiss. Viro *Philippo Parsons Aulæ Cervinæ* Principali, Medicinæ Doctore, & multum amiciss. viris *Gul. Iacksono* Oxoniensi, & *Rich. Kendallo*, Londonensi, nostræ artis socijs huc tandem venit. Sed nos eo die Bathoniam pervenientes, Vrbem,

Thermas,

Thermas, & quicquid ibi notatu dignum lustramus. Illic etiam in posterum diem morantes, mane hortum honestissimi viri *Georgij Gibs* ingredimur, plantasque quarum nomina sequuntur illic crescentes invenimus.

Rha rotundifolium.
Iasminum album.
Iasminum luteum, sive Trifolium fruticans, Polemonium Ger.
Tuliparum varietates plurimæ.
Cotyledon minus montanum, Palmaria Tab. Vmbilicus veneris minor, Ger.
Vmbilicus Veneris sive Cotyledon altera, Ger. emac. Sedum serratum.
Fragaria fructu magno, Boëmica, Qorund.
Asclepias flore albo.
Lilium album.
Valeriana Græca.
Sabina.
Branca Vrsina.
Geranium longius radicatum, Lob.
Geranium Romanum variegatum.
Raphanus rusticanus, Offic.
Ruta.
Periclymenum perfoliatum.
Laurus vulgaris.
Doronicum Romanum.
Trachelium majus flo. albo.
Gramen Lupuli glumis, sive Tremulum max. Bauh.
Cucumis asininus, Offic.

Coriandrum.
Consolida regalis.
Flos solis major.
Rhabarbarum Monachorum.
Geranium Moschatum.
Rhabarbarum verum.
Blattaria purpurea.
Lotus hortorum, Lob. sive Trifolium odoratum.
Lavendula vulgaris.
Lavendula flo. albo,
Papaver sativum simp. & multipl. flo.
Thymum durius.
Cyanus flo. albo, carneo, &c.
Cyanus major.
Cerinthe. *Flos Adonis.*
Parthenium flo. multipl.
Chrysanthemum Creticum.
Nigella Romana.
Phalangium Virginianum.
Phalangium non ramosum.
Tamariscus Narbonensis.
Majorana.
Marum sive Mastich Gallorum & Anglorum.
Salvia angustifolia.
Salvia major vulgaris.
Salvia variegata.
Glycyrrhiza vulgaris.
Serpilli 3. *spec.*
Aristolochia Clematites.
Viola mariana.
Abrotanum mas.
Polium luteum.
Pentaphyllum surrectum.

Scabiosa

Scabiosa montana max.
Convolvulus cæruleus minor.
Thalictrum majus Hispanicum.
Chamæcyparissus.
Stæchas vulg. Offic.
Leucoium flo. albis & purp.
Faba Græcorum.
Scordium.
Chamædrys.
Lilium montanum.
Thlaspi Creticum.
Astrantia nigra.
Colutea vulgaris.
Campanula Persicifolia, Lob.
Costus hortorum.
Ageratum.
Gentianella verna flo. amplo.
Helleborus niger verus.
Lychnis hortensis.
Lychnis Chalcedonica.
Lychnis syl. flo. multipl.
Chamæxyris, Lob.
Tragopogon flo. purp.
Lysimachia cærulea.
Lysimachia lutea Virginiana.
Scorzonera. *Meum.*
Allium max. radice simplici.
Lilium non bulbosum.
Arbor vitæ.
Saponaria flo. multipl.
Vinca pervinca, sive Clematis Daphnoides.
Viola matronalis flo. pleno.
Caryophyllorum hortensium variæ. spec.

Hepatica

Hepatica nobilis.
Allium vulgare.
Gladiolus Narbonensis.
Hyssopus vulgaris.
Aster Italorum.
Muscipula.
Astragalus Lusitanicus.
Psyllium.
Caltha flo. multiplici.
Iris latifolia vulgaris.
Iris bulbosa.
Gnaphalium Americanum.
Antirrhinum majus flo. albo.
Sumach Virginianum.
Mentha sativa rubra.
Imperatoria.
Hipposelinum.
Myrrhis sativa.
Oxalis rotundifolia.
Cochlearia Batava.
Iacea tricolor vulg.
Iacea tricolor flo. amplo lut.
Absinthium tenuifolium, quibusdam Romanum, alijs Ponticum.
Bolbonach, sive Lunaria Græca.
Auricula ursi.
Napellus cæruleus.
Crocus vernus.
Leucoium bulbosum & alia verna, quæ tunc temporis non apparuerunt.

Hisce

Hisce visis prata, loca saxosa, aspera, & vicinas sylvas, plantarum gratia circumspicimus. Reversis statim affuerunt desiderati amici Dr. *Buggs* & *Kendall*, qui amicis Oxoniensibus gratias pro tantâ eorum humanitate agentes (ijs domum reversis) nos Bathoniam sequuti sunt. Iamque totâ societate junctâ læte unâ cœnavimus. Hicque nobiliss. & omnibus virtutis dotibus instructissimæ Dom. *Annæ Gualteræ* (quâcum ipse bimestre spatium ejus valetudinis ergô Bathoniæ moratus sum) munificentiam experti sumus. Postquam illuxit dies Thermarum urbem reliquimus, & Bristoliam versus sed non vulgari viâ cursum direximus; ad dextram enim deflexi Mangersfeild prevenimus, & in ædes divertimus verè nobilis & generosi viri *Philippi Langlæi* cui----*grates persolvere dignas*
Non opis est nostræ. *Virg.*

Statim enim postquam ingressi sumus,

——— *domus interior regali spendida luxu*
Instruitur, medijsque parant convivia tectis,
Tum dapibus mensas onerant, & pocula ponunt.
Postquam prima quies epulis, mensæque remotæ
Crateras magnos statuunt, & vina coronant.

Hic nuntio admonitus aderat *Iohannes Priseus* Bristoliensis non minus doctus Pharmacopæus, quam jucundus socius, qui inclinante jam die (postquam Gen. D. *Langlæo* pro eximiâ & munificâ suâ hospitalitate gratias, ut potuimus, maximas, dedimus) nos ad hospitium Bristoliæ comitatus est. Hic nobis ad octavam posteræ diei horam indulsimus, & deinde (socio

cio nostro *Richardo Kendallo* Glocestriam vērsus dimisso) nos unà cum *Priseo* nostro ad famosos Divi Vincentij clivos, & præruptas rupes Avonæ ripæ impositas tendimus hicque primum ad fontem hodie non incelebrem aquæ tepidæ, gustuique gratæ, ex fissurâ immanis saxi profluentis pervenimus. Multum laudatur hæc aqua ad ulcera & calculosus renū affectus internè sumpta, & externè ad ulcera antiqua sananda usus ejus non infrequens, nec successu caret, ut ab expertibus audivi. Ferrivena illic in terræ visceribus continetur; unde vires aqua acquirit, & majorem calorem (nisi me mea fallat opinio) quem longiore cursu amittit, antequam emergere valeat. Hujus scaturigo ad rupium radicem erumpit, unde æstu aliquantulum ingresso, turbidis Avonæ fluvij aquis submergitur, donec refluxu amnis iterum auræ apertæ redditur. Effodiuntur in superiore horum confragosorum collium parte lapilli pellucidi, sexanguli & quadranguli, nóstrates Adamantes vocant, quia apprime eos mentiuntur; Nonnulli Crystallos volunt; sed ad Fluorum naturam rectius meâ sententiâ accedunt; memini enim *Priseum* nostrum mihi retulisse, quod loci Dominus eos nollet è ferri minera (eorū matrice) eximi; quoniā major eorum quantitas magis fluidum reddit metallum. Et Fluores (teste Agricola) gēmis sunt simillimi, sed minus duri, dum metalla excoquantur adhiberi solent, reddunt enim materiam in igne non paulo fluidiorem. Etiam Kentmannus in ejus Foss. catal. enumerat Fluores pellucidos, sexangulos, Crystallo similes. Vt-

cunque

cunque se res habet, non multum moror, sententiam posui & doctiorum judicio relinquo.

Hinc Avonæ fluenta, ferè ad Sabrinianum æstuarium sequimur, tum bis trajecto amni demum Bristoliam revertimur; sumptisque equis & V. honestiss. *Matthæo Chock* Cainshamæ salutato, post solis occasum Bathoniam iterum ingredimur. Diem Dominicam hic solito more peregimus, & posterâ luce intermissum iter aggressi per vias vix commodas ad Thrubridge venimus, ubi commodiore multo hospitio excipimur; D. enim *Thomas Pellinge* eò loci divini verbi minister se nobis benignum hospitem præbuit, & lautissimo prandio nobis moram injecit. Tandem gratijs actis opt. Viro, (cui multum pro singulari ejus humanitate debemus) vulgarem viam ingressi per latam planitiem Sarisburiam sub vesperam introimus.

Nocte peractâ, speciosum Templum & limpidæ aquæ rivulis irriguas urbis plateas manè circumivimus; & ædes Doctiss. viri *Richardi Haydocki M.D.* ingressi vidimus Opus ejus Anatomicum, quod jam diu præ manibus habuit & cui finem ferè imposuit. Opus sane miro artificio concinnatum figurisære exquisitissimè incisis & summo judicio dispositis (more quo *Io. Remmelinus* suum Catoptrum microcosmicum edidit) Hisce cōmentarios doctissimos & utilissimos adjuncturus est, quæ omnia brevi, ut spero, publicâ luce fruitura sunt. Hicq; etiā peropportunè nobis obviā factus est medicus doctiss. *Iacobus Lake*, cui ut etiam *Guliel. Wilsono* Pharacopæo Sarisburiensi gratias amoris ergô, quo nos prosequuti sunt, reddimus. Ami-

Amicis & urbe tandem relictis, regiam viam ingredimur, & 18 emensi miliaria Southamptoniæ hospitio excipimur: deinde sequente mane conductis duabus naviculis, & *Io. Cropp* ejus loci Pharmacopæo in societatem nostram admisso, è portu solvimus & paucis horis in Vectam insulam trajecimus. Egressi navigijs Cowes adimus, & pransi ejus loci propugnaculum mari impositum visitamus, ibique *Humfredus Turneyus* loci (ut vocant) Capitaneus, patrio more impletis vino poculis nos benigne excepit, & ei (quod tum solum potuimus) grates persoluimus. Deinde ascensis equis *Newport* advenimus, & non longe hinc Castellum amplissimum quondam munitissimum, & regnante divâ *Elizabethâ* novis operibus auctum, lustramus; *Casbro* ei nomen est, & nonnulli Insulæ Castellum vocant. Namque illic ad Insulæ tutelam instructissimum asservatur armamentarium. Demum reversi & cibis refecti ut etiam societate amicorū D. *Thomæ Basketi* & *Capit. Andreæ Iamesij*, tandem nos quieti dedimus.

Sole iterum suum gratum lumen mortalibus impertiēnte nos excitamur a somno, festinantèr equos conscendimus, & ad maris littus, quod Austrum respicit nos conferimus, aliquantulum temporis inter Algas & fucos consumpsimus; deinde nos non longe hinc opiparo prandio excepit *Gulielmus Kitchin* Chirurgus in domicilio suo *Stonyplace* vocato; finitis epulis cum eo, *Tho. Iuningo* Noviportensi, & *Iohanne Croppo* Southamtoniensi, Pharmacopæis, *Ridam* versus cursum dirigimus; ubi paratis

naviculis

naviculis excepti Portismutham paucarum horarum spatio appulimus.

Hinc sequente aurorâ descessimus, associante *Io. Brooke* ejus loci generoso Cicestriam usque, hic pransi urbem reliquimus, & sub vesperam *Anthonij Housi* Medici & *Isaacii Thornbury* Chirurgi Cicestrensis ductu Petwortham venimus. Posterâ luce, amicis demissis, per Godliman & Guilford Londinum petimus & sub noctem quisque proprium larem ingreditur; sicque tandem 26 Iulij finem itineri imposuimus.

Nunc restat, ut vobis impertiamus quid plantarum in tanto itinere invenimus, & cur non solito more descripserimus quid in hoc aut illo loco vidimus. Consilij nostri rationē paucis habe. Hoc anno plerasq; plantas sponte in hac Insulæ parte nascentes vidimus, quâ de causâ, ut lectoris usui consuleremus, non sine ordine, ut sese oculis nostris obtulerunt, in librum retulimus, sed eas methodo alphabetica cum nominibus Anglicis & nonnullis synonomijs comprehensimus; & ne locus, ubi inveniri possint, deesset, singularum non ubique occurrentium, generalem nascendi locum annotavimus, idq; Latinè: sed rarioribus particularē locum assignavimus Anglicè, quo melius a nostratibus intelligeretur. Huc etiam nonnullas ex prioribus Itinerarijs transtulimus; quod facile ex locis nominatis intelligat Lector haud indoctus, qui ut spero, nostris inceptibus amicus, nostris laboribus liberè, & cum voluptate frui possit.

Catalogus Plantarum.

A

ABsinthium vulgare latifolium. *Common Wormewood.*

Absinthium marinum, sive Seriphium. ubique in salsis & maritimis. *Sea Wormewood.*

Acanthium *Matth. Dod. Lob.* Spina alba syl. Fuchs. ad sepes & in fimetis. *The Cotton Thistle.*

Acer minus. *The Common Maple.*

Acer majus, sive Platanus Scotica Cardani. plurimis locis juxta ædes nobilium. *The great Maple, but commonly,* (*yet falsely*) *the Sycamore tree.*

Acetosa, sive Oxalis vulgaris. ubique in pratis. *Sorrell.*

Acetosa sive Oxalis minima *Tragi, Dod.* minor *Matth.* Ovina, *Tab.* in arvis & pratis siccioribus. *Sheepes sorrell.*

Acetosella, vide Trifolium acetos.

Acinos Anglica, *Clus.* in montosis cretaceis. *Small stone Basill.*

Acorus nostras palustris *Lob.* Iris palustris lutea, *Tab.* Pseudoiris, *Dod.* *Yellow water Flowerdeluce, Water-flagges. Seggs.*

Adianthum aureum majus *Tab.* Polytrichum majus, *Trag. Fuch.* in Ericetis, *Great goldylockes, or Golden-maidenhaire.*

Adianthum aureum minus. Polytrichum minus, *Trag. Fuch.* Musci capillaris altera spec. *Dod.*

Dod. in muris passim. *Little Goldy-lockes.*

Adianthum album. *Lonic. Cam. Taber.* Ruta muraria, *Dod. Ger.* Salvia vitæ, *Ad. Lob. Lugd.* Saxifraga seu Empetron, *Fuch.* Paronychia, *Matth. Wall-Rue, Tent-worte.* **On the Rockes by** *Bathe* **and Bristow.**

Adianthum nigrum. vid. Capillus ven.

Ægilops. v. Festuca.

Agrimonia *Offic.* Eupatorium Diosc. *Agrimonyc.*

Agrifolium *Dod.* Aquifolium, *Matth. Lob. Tab.* In sepibus. *Holly.*

Aizoon, vid. Sedum.

Alcea vulgaris, *Dod. Lob.* Malva verbenaca, *Ger.* in sepibus & pratis. *Vervaine Mallowes.*

Alchimilla, *Dod. Lob.* Pes leonis, *Fuch.* Stellaria, *Matth.* in sylvis & umbrosis. *Ladyes mantle.*

Alectorolophos. V. Pedicularis.

Alga membranacea ceranoides, *Bauh.* in maritimis. *Wracke.*

Alliaria, *Trag. Matth. Fuch.* Pes Asini, *Pandectarij.* passsim ad sepes. *Sauce alone, Jacke by the hedge.*

Allium sylvestre tenuifolium *Lob.* Ophioscoridon, *Matth.* in pascuis. *Crow Garlicke.*

Allium sylvestre latifolium, *Dod.* Vrsinum *Fuch. Matth. Lob.* in sylvis & sepibus. *Ramsons.*

Alnus vulgaris, *Tragi, Matth. Dod. Lob.* ad aquas. *The Alder.*

Alnus nigra baccifera, *Tab. Lob.* Frangula. *Matth.*

Matth. Dod. in sylvis humidis. *The blacke Alder.*

Alopecuros maxima Anglica paludosa *Lob. Ger. emac.* ——— *Great Marsh Foxtaile.* **In** *Dartford* **Salt marsh and divers such places.**

Alsine major. *Dod. Lob. Ger.* Maxima *Lob.* ad sepes *Great chickweed.*

Alsine aquatica major, *Bauh.* palustris. *Tab. Ger. Great water Chickweed.*

Alsine hirsuta, Myosotis *Ad.* Auricula muris quibusdam. *Dod. Gal. & Angl.* Alsine spuria 3. eidem Latinè. Alsine hispida. 1. Thal. passim. *Mouseare-chickweed.*

Alsine media *Dod. Ger.* passim ad sepes. *Middle Chickweed.*

Alsine minor multicaulis. *Bauh.* minima, *Dod. Lob. Ger.* in muris & tectis. *Fine Chickweed.*

Alsine rotundifolia, sive Portulaca aquatica. *Ger. emac.* in palustribus. *Water Purslaine.*

Alsine palustris minor serpillifolia, *Bauh. Ger. emac. Creeping water Chickweed.*

Alsine folijs Veronicæ. *Tab. Ger.* Alysson *Col.* in arvis & tectis. *Speedwell Chickweed.*

Alsine hederacea, *Tab. Ger.* Morsus gallinæ folio hederulæ, *Lob.* in agris & eorum marginibus. *Ivy Chickweed, or small Henbit.*

Alsine folijs Trissaginis, *Lob. Ger.* in arvis & agrorum marginibus. *Germander Chickweed.*

Alsine hederula altera, *Ger.* Morsus gallinæ folio hederulæ alter, *Lob.* Ballote crispa minor, *Ludg.* in arvis. *Great Henbit.*

Alsine palustris folijs tenuissimis, sive Saxifraga palustris alsine folia. *Ger. emacul. Small*

water

water Saxifrage. **It growes on Boggs about Bath and divers other places.**

Althæa. Ibiscus, *Ger.* Bismalva, Malvaviscus, *Offic.* passim in maritimis. *Marsh Mallowes.*

Anagallis mas flore phæniceo. In agris. *Male red Pimpernell.*

Anagallis fœmina flore cæruleo, etiam in arvis sed rarius. *Female Pimpernell.*

Anagallis lutea nemorum. *Yellow Pimpernell.* **In the wood betweene Highgate and Hamstead.**

Anagallis aquatica major, *Ger.* Berula maj. *Tab. Great long leaved Brookelime.*

Anagallis aquatica vulgaris, sive Becabunga Offic. *Brookelime.*

Anagallis aquatica rotundifolia *Ger. emac.* aquatica 3. *Lob. Round leaved water Pimpernell.* **It growes on Boggs neere Bath.**

Anchusa degener facie Milij solis *Lob.* Anchusa arvensis minor, *Tab.* Lithospermum syl. *Tra.* Inter segetes. *Bastard Grommell, Salferne.*

Androsæmum *Dod.* Clymenum Italorum, sive Siciliana *Lob. Tutsan,* or *Parke leaves.*

Androsæmum magnum *Ad. Lob.* Ruta syl. Hypericoides, *Dod. Tutsan* - Saint - *Iohns-wort, or Great* S. *Iohns-wort.* **In a wood by S. Vincents rocks nigh Bristow.**

Anemone nemorum *Ger.* forte λειμώνια. *Theoph.* Ranunculus nemorosus, sive sylvat. *Lob. Clus. The wood Anemone, or Windfloure.*

Angelica sylvestris. In sylvis humidis. *Wild Angelica,*

Anonis sive Ononis, Resta bovis, Remora aratri. *Rest harrow, Petty-whin.*

An-

Antirrhinum. 1. *Matth.* Medium, *Cam.* rubrum arvense, *Thalij.* In agris. *Midle Calves-snout, or snap-dragon.*

Antirrhinum arvense minimum, *Thal. Cam. Little snapdragon, or Calves snout.*

Anthyllis leguminosa Belgarum, *Lob.* Lagopodium, *Tab.* In montosis pratis. *Kidney Vetch. Lady fingers.*

Anthyllis prior lentifolia Peplios effigie maritima, *Lob.* Alsines genus pelagicum, *Clusij.* Alsine cruciata marina. *Sea Pimpernell.*

Aparine: passim in sepibus. *Goose grasse, Clivers.*

Aphaca, *Lob. Dod.* Elatine 3. *Tab.* in arvis sed rarius. *Yellow Fetchling.*

Aphacoides. V. Lathyrus.

Apium, *Offic.* sive Paludapium: in uliginosis & salsis. *Smallage.*

Apium risus, *Lob.* V. Ranunculus aq.

Aracus, *Tab.* Galega syl. *Dod.* passim in pratis & sylvis. *Birdes Tares.*

Aracus sive Cracca major. *Lob. Ger.* in agris *Strangle-Tare, Tine, wilde Fetch.*

Aracus, sive Cracca minima, in agris. *Small wilde Tare.*

Arctium montanum & Lappa minor Galeni, *Lob. Button-Burre.* **Mangersfeild, in Master** *Langleys* **yarde.**

Argemone capitulo torulis canulato, sive Argemone Lacunæ, *Lob.* in satis sed non ubique. *Bastard wild Poppye, or rough headed Poppye.*

Argemone capitulo longiore, *Lob.* in arvis, priore frequentior. *Long rough headed Poppye.*

Argentina

Argentina, *Dod. Lob.* Potentilla, *Matth.* Anserina Tragi; passim in areis. *Silver weed, wilde Tansye.*

Aria. Vid. Sorbus.

Armerius syl. *Dod.* Armeria pratensis syl. *Lob.* Flos Cuculi pratens. *Trag.* Caryophyllus pratensis, *Tab.* passim in pratis humidis. *Crowfloures and wilde Williams.*

Armeria syl. altera caliculo foliolis fastigiatis cincto. *Lob.* Caryophyllus Pratensis, *Ger. e-macul.* Collibus & nonnullis pascuis. *Deptford Pinke.*

Artemisia vulgaris, passim in satis & agrorum marginibus. *Mugwort.*

Arum vulgare. *Wake Robin, Cuckow-pinte.*

Arundo vulgaris, vallatoria, *Lob.* palustris, *Matth. Common reede.*

Ascyrum, *Matth. Lob.* Hypericum in dumetis 2. *Tragi.* S. *Peters worte.*

Ascyrum supinum ἑλώδης, Clus. sive villosum palustie. *Bauh. Round leaved* S. *Peters worte.* **It growes aboundantly on a rotten moorish ground not farre from** *Southampton.*

Asparagus vulgaris. *Sparagus.* **In the Marshes beyond Bristow.**

Asperula odorata, *Dod. Clus.* Hepatica stellata, *Tab.* Matrisylva, *Trag.* in sylvis. *Woodrooffe.*

Asperula cærulea arvensis. *Blew woodrooffe.*

Asphodelus bulbosus, Galeni, V. Ornithogalum.

Asphodelus minimus luteus Acorifolius palustris, *Lob.* Asphodelus Lancastriæ *Ger. Lancashire*

cashire Asphodill. **It grows in a Bogge on a heath in the mid-way betweene** *Sarisbury* **and** *Southampton.*

Asplenium, sive Ceterach. Scolopendria vera. *Trag.* Scolopendrium verum, *Loniceri.* In Saxorum crepidinibus & Templorum muris. *Ceterach, Milte-wast, Spleenewort.*

Astragalus sylvaticus, *Thalij. Wood-pease, or Heath-pease.*

Atriplex marina repens, *Lob. Sea Orach.*

Atriplex olida, *Lob.* Canina, *Trag.* Garosmum, *Dod.* juxta semitas in suburbijs. *Stinking Orach, or Notch-weed.*

Atriplex angusto oblongo folio, sive sylvestris Polygoni aut Helxines folio, *Lob.* In ruderibus. *Narrow leaved Orach.*

Atriplex sylvestris folio sinuato candicante. *Bauh.* sylvestris vulgaris *Ger.* In fimetis & ruderibus. *Common wild Orach.*

Atriplex syl. altera, *Ger.* cum priore reperitur. *The other wild Orach,*

Atriplex syl. latifolia *Lob.* Pes anserinus. *Fuch. Dod.* & Chenopodium 1. *Tab.* cum prioribus. *Goose foote, or sow-bane.*

Atriplex syl. latifolia acutiore folio. Bauh. Blitum 5. *Trag.* Chenopodium 2. *Tab.* cum prioribus. *The other Goose foote, or sow-bane.*

Atriplex sylvestris sive Polyspermon *Ger.* Polyspermon Cassani Bassi *Lob.* cum prioribus, sed rarior. *All-seed.*

Auricula muris. *Vid.* Alsine hirsut. & Pilosella.

B

BAccharis Monspel. *Lob.* V. Conyza major.
Ballote; Marrubium nigrum fœtidum, ad sepes. *Stinking Horehound.*

Barbarea, Pseudobunias *Lob.* Nasturtium hybernum, *Quorund.* ad agrorum margines. *Winter Cresses.*

Bardana, sive Lappa major, Personata *Fuch. Lob.* *Great Bur-docke.*

Bardana minor, V. Arctium.

Behen album, *Monspell, & Offic.* Papaver spumeum, *Lob.* Herba articularis, *Tab.* *Spatling Poppie. White Bottle.*

Bella donna, V. Solanum Lethale.

Bellis minor vulgaris, consolida min. *Quorund.* ubique. *Little Daisyes.*

Bellis major, *Trag. Matth.* Consolida media vulnerariorum. In pratis. *Great Daisyes, and of some, Oxe-eye.*

Berberis, *Offic.* V. Oxyacanthus.

Beta alba vulgaris. In maritimis. *White Beete.*

Betonica vulgaris. In sylvosis. *Betonie.*

Betonica aquatica. *Dod. Lob.* Ocymastrum majus *Trag.* *Water Betonye.*

Betonica Pauli, V. Veronica.

Betula, *Matth. Lob.* In sylvis humidis. *The Birch tree.*

Betulus *Lob.* Carpinus, *Matth.* Ostrys Theophrasti, *Clus.* In sylvis. *The Hornebeame tree.*

Bifolium, *Lob.* Ophris, *Matth.* In humidis pratis & sylvis. *Twablade.*

Bistorta, *Matth. Dod.* Serpentaria fœmina, *Fuch.* in pratis humidis, & umbrosis. *Bistorte.*

Blattaria major flore luteo, sive Blattaria Plinij, *Lob. Great Moth Mullein.*

Bonus Henricus, *Trag. Matth. Tab.* Rumicis 3. gen. *Fuch.* Tota bona, *Lob. Dod.* In pratis & fimetis. *Common Mercurie, or All-good.*

Brassica marina monospermos, *Lob. Sea Coleworts.*

Bryon Lactucæ folijs, *Lob.* Lactuca marina, *Tab.* Lichen marinus, *Ger. Sea Lungewort, or Oister-greene.*

Bryonia alba, *Dod.* Vitis alba. *Matth.* ad sepes & sylvas. *White Bryonie.*

Bryonia nigra, Sigillum beatæ Mariæ, *Offic.* Tamus, *Dod.* In sylvosis. *Blacke Bryonie.*

Bromos sterilis. V. Festuca.

Buglossa syl. minor. *Dod. Ger. emac.* Echium Germanicum spinosum, *Fuch.* Borago syl. *Trag.* In arvis. *Small wilde Buglosse.*

Buglossum Lut. *Ger.* Echioïdes luteum, *Lob.* ad agrorum margines. *Lang-de-Beefe.*

Bugula, *Dod. Lob.* Consolida media, *Matth. Fuch. Tab.* In humidis sylvis & pratis. *Bugle.*

Bulbocastanon, *Dod.* Nucula terrestris Septentrionalium, *Lob.* In collibus. *Earth-nut, or Ear-nut.*

Bunias syl. V. Napus syl.

Bursa pastoris major. ubique. *Sheepeheards purse.*

Bursa pastoris minor. *Little sheepeheards purse.*

Buxus

Buxus, in viridarijs. *Boxe.*

C

CAlamintha montana vulgaris, *Lob. Offic. Common Calamint.*

Calamintha Pulegij odore, Nepeta vera *Antiquorum;* In pratis & collibus. *Feild Calamint.*

Calamintha aquatica, *Matth.* Polycnemon Lobelij, *Lugd.* Ad fossas. *Water Calamint.*

Caltha palustris, *Dod. Lob.* Tussilago altera, *Matth.* in humidis pratis. *Marsh Marigold.*

Campanula, V. Trachelium.

Campanula minor rotundifolia, *Lob.* Rapunculus syl. minor, *Tab.* In pratis. *Small Bell-floure.*

Cannabis vulgaris. seritur in Agris. *Hempe.*

Cannabis spuria, flo. albo. Lamium, *Quorundam.* Ad sepes & in agris. *Wilde Hempe.*

Cannabis spuria altera flore purp. In agris. *Nettle Hempe.*

Cannabina aquatica. V. Eupatorium cannab.

Capillus veneris, *Offic.* Polytrichum, Trichomanes. *Trag. Math. Dod. Lob.* In saxosis & muris. *Common Maidenhaire.*

Caput gallinaceum Belgarum. *Ad. Lob.* Onobrychis. *Dod. Clus. Ger. Medicke Fitchling, or Cockes-head.* **On the farther end of** *Sarisbury* **Plaine.**

Caprifolium, *Offic.* V. Periclymenum.

Cardamine, *Ger.* altera, *Lob.* Nasturtium pratense, *Trag.* Flos cuculi, *Dod.* Sisymbrium aquaticum alterum, *Matth.* ubique in pratis humidis. *Lady-smocke, or Cuckow floure.*

Cardamine

Cardamine altera flo. pleno. *Clus. Ger. emac.* cum priore sed multo rarior. *Double floured Lady-smocke.*

Cardamine flosculis minoribus, sive impatiens. Sium minimum, *Alpini.* Sium minus impatiens, *Ger. emac. Impatient Cuckow floure, or Lady smocke.* **In rills, and ditch sides about** *Bath*, **and in some other places.**

Cardamine pumila Bellidis folio Alpina. *Ger. emac.* Plantula Cardamines æmula, *Clus.* Nasturtium Alpinum bellidis folio minus, *Bauh. Rock-cresses, or Dwarfe dasye-leaved Lady-smocke.* **On the rockes nigh the Quarrie by Bath.**

Carduus acaulis, *Lob.* Carlina minor flo. purpureo. *Clus.* In montosis & collibus siccioribus. *Dwarfe Carline Thistle.*

Carduus stellatus, *Dod.* sive Calcitrapa Ejusd. & *Lob.* juxta semitas. *Star-thistle.*

Carduus arvensis major purpureo flore, (ut etiam albo) qui flore nondum nato moschum olet. *Ges. Ger. Muske thistle.*

Carduus spinosissimus vulgaris *Lob.* Aculeosa Gazæ, *Adv.* Polyacanthos Theophrasti, *Tab.* ad agrorum margines. *Thistle upon thistle.*

Carduus asininus sive Onopyxos *Dod. Lugd.* cum priore. *Asses Box.*

Carduus spinosissimus, capitulis minoribus sive Polyacantha, *Lob.* cum prioribus. *Small welted Thistle.*

Carduus spinosissimus altissimus, forte Carduus palustris, *Bauh. Tall heath thistle.*

Carduus lanceatus, sive lanceolatus, *Tab. Ger.*

In

In pratis. *Speare thistle.*

Carduus lacteus *Matth.* Mariæ, *Trag. Fuch.* Silybum, *Ang.* Leucographis Plinij, *Lugd.* ad agrorum margines. *Milke Thistle.*

Carduus vulgatissimus radice repente, κεανωθος Theophrasti, *Col.* ubique nimis frequens. *The way Thistle.*

Carduus eriocephalus, *Dod. Clus.* tomentosus, *Lob.* Onopordon Plinii, *Lugd.* In montosis, sed non ita frequens, ut reliqui. *Woolly-headed Thistle.*

Carduus vulgaris, *Matth.* Carlina syl. *Dod. Ger.* Carthamus syl. *Lonic.* Heracantha, *Tab.* In montosis. *Wilde Carline Thistle.*

Caryophyllata vulgaris, Herba benedicta, *Brunf.* Geum, *Turn.* ad sepes. *Avenes. Herbe Bennet.*

Caryophyllus. *v.* Armeria.

Caryophyllus marinus minimus, *Lob. Ger.* Gramen marinum minus, *Tab.* Armerius montanus tenuifolius. *Clus.* In maritimis. *Thrift, or Sea-gilliflowre.*

Carlina, *v.* Carduus acaulis & vulgaris.

Carpinus *Matth.* Ornus, *Tragi,* Ostrys Theophrasti, *Clus.* Betulus, *Lob.* in sylvis: *Hornebeame.*

Castanea vulgaris: In sylvis nonnullis & viridariis. *Chesnut-tree.*

Catanance, *Quorund.* Ervum syl. *Dod.* in pratis. *Crimson grasse Fetch.*

Caucalis minor flosculis rubentibus, *Ger. Emac.* ad sepes: *Hedge parsley.*

Caucalis nodosa echinato sem. *Bauh. Ger. Emac.*

mac. ad agrorum margines. *Knotted Parsley.*

Caucalis Apii foliis, floribus rubris. *Ger. emac. Hedgehogge Parsley.* **In the corne-fields about** *Bathe.*

Cauda equina : *v.* Equisetum.

Centaurium minus vulgare, flor. carneis & albis. in pratis & arvis : *Common or litle Centory.*

Centaurium luteum perfoliatum, *Cam.* In montosis & siccioribus pratis. *Yellow Centory.*

Cerasus sylvestris : *The wilde Cherry tree.* **In a wood by** *Bathe.*

Cerefolium syl. *Tab. Ger. emac.* passim ad sepes. *Hedge Chervill.*

Ceterach, *Offic. v.* Asplenium.

Chamæacte : *v.* Ebulus.

Chamæcistus vulgaris flo. luteo; Panax chironium sive flos solis, *Matth. Lugd.* Helianthemum, *Lob.* Hyssopus camp. *Trag.* In montibus saxosis. *Dwarfe Cistus, or little sunflowre.*

Chamædrys syl. *Clus. Ger.* Teucrium pratense, *Lob.* Verbenaca supina mas, *Dod.* ubique in pratis : *Wilde Germander.*

Chamæmelum vulgare. In pascuis humidis. *Chamomill.*

Chamæpytis, Iva arthritica, sive moschata, *Offic.* in arvis : *Ground-pine.*

Chelidonium majus, ad sepes. *Great Celandine.*

Chelidonium minus, sive Scrophularia minor. ubique in pratis humidis : *Pilewort.*

Chrysanthemum segetum, *Lob. Clus.* Bellis major lutea, *Trag.* in satis. *Corne Marigold ;*

or

or Goldes.

Cichoreum syl. flo. cæruleo: In arvis: *Wilde Succory.*

Cicuta vulgaris. *Hemlock.*

Cicutaria fatua, *Lob.* Petroselini vitium, *Trag.* Cicutaria tenuifolia, *Ger.* *Dogges-parsley.*

Cicutaria palustris, *Lob. Ger.* Phellandrion Plinii, *Dod.* in aquis: *Wilde water Hemlock.*

Cicutaria alba, *Lugd.* palustris flo. candido, *Cam.* Myrrhis syl. *Fuch.* ubique in locis humidis: *Wilde Cicely.*

Circæa Lutetiana, *Lob.* Lappa syl. *Trag.* Herba D. Stephani, *Tab.* in umbrosis & humidis: *Inchanters Nightshade.*

Cirsium Anglicum, *Lob. Clus. Ger. emac. Single-headed Thistle:* **On** *Early* **Heath a mile from** *Reading.*

Clymenon, *v.* Androsæmum.

Clinopodium vulgare, *Matth.* Origanum 4 *Trag.* in dumetis. *Wilde Basill.*

Cochlearia vulgaris longo & sinuato folio. In maritimis: *Sea Scurvy-grasse.*

Colchicum commune purpureum, ut etiam flo. albo, sed rarius. *Meadow safron.* **In some meadowes about** *Bathe,* **& in divers parts of the West Countrey.**

Conferva, Plinii, *Lob.* *Hairy river-weede.*

Conyza major, *Matth.* Baccharis Monspelliensium, *Lob. Ger.* in montosis, *Plow-mans Spikenard.*

Conyza media, *Matth.* Calaminthæ 3 genus, *Fuch.* in humidis: *Midle Fleawort, or Fleabane.*

Conyza minor. *Trag. Matth.* minima, *Lob.* *Dod.*

In aquosis : *Dwarfe Fleabane.*

Conyza cærulea acris, Tinctorius flos alter, *Trag.* Amellus montana, *Col.* In montosis prasis & antiquis muris. *Blew flowred Fleabane.*

Consolida major, sive symphytum majus flo. albo. In aquosis. *Great Comfrey.*

Consolida major, sive symphytum maj. flo. purpureo, cum priore : *Great Comfrey with purple flowres.*

Consolida media, *v.* Bellis, & Bugula.

Convolvulus major flo. albo. Volubilis major, *Tab. Trag.* Smilax lævis, *Matth. Dod.* In sepibus : *Great Bindeweede.*

Convolvulus minor flo. purp. vel albo : *Lob.* Volubilis minor *Trag:* Helxine cissampelos, *Matth. Fuch.* Smilax lævis minor, *Lob.* In agris. *Small Bindeweede.*

Convolvulus niger, *Dod.* Orobanche, *Trag.* Volubilis nigra, *Tab.* Helxine cissampelos altera atriplicis effigie, *Lob.* Inter segetes : *Black Bindeweede.*

Corallina ramosa parva ; inter scopulos : *Branched Coralline.*

Corallina pennata longior. cum priore : *Winged Coralline.*

Cornu cervinum, *Offic.* Coronopus, sive herba stella, *Matth. Lob.* In maritimis hirsutum, in montosis plerumq ; glabrum : *Harts-horne, or Buck-horne Plantaine.*

Cornus fœmina, *Lob. Tab.* Virga sanguinea, *Matth. Dod.* In dumetis & sepibus : *Dogge-tree.*

Coronopus

Coronopus Ruellii, cornu Cervi alterum vulgi, *Lob. Dod.* Ambrosia, *Matth.* Ad agrorum margines, & juxta semitas : *Swines Cresses.*

Corylus sylvestris, *Trag. Matth.* Nux avellana syl. *Fuch. Dod.* In sylvis : *The hazel nut-tree.*

Cotyledon aquatica, sive acris septentrionalium, *Lob.* In uliginosis : *Water Penny-wort, white rot.*

Cotula alba, *Dod.* fœtida, *Lob.* Parthenium *Fuch. Tab.* Est etiam non fœtida, & flo. multiplici : In agris : *Mathes, or Mayweede.*

Cracca, *v.* Arachus.

Cratæogonon, *Lob.* Milium sylvaticum, *Tab.* Sideritis pratensis lutea, *Lugd.* In sylvis : *Wilde Cow-wheate.*

Cratæogonon Euphrosine, *Ger.* Euphasia rubra, sive altera, *Dod. Lob.* in montosis & pratis siccioribus : *Eyebright Cow-wheate.*

Crithmum sive Fœniculum marinum : *Sampire :* **On the white Cliffes on the South side of the Isle of** *Wight.*

Crista Galli, *v.* Pedicularis.

Cruciata *Dod.* minor, *Lob.* Gallium 2. *Trag.* in dumetis : *Crosse-wort, or Mugweet.*

Cuscuta, *Matth.* Cassytha, *Dod. Lob.* in agris & ericetis circa varias plantas, *Dodder.*

Cyanus minor vulgaris, *Matth. Lob.* Baptisecula *Trag.* inter segetes : *Blew-bottle.*

Cynocrambe, Mercurialis sylv. mas & fœmina : in sylvis & sepibus : *Dogges-mercury.*

Cynoglossum majus vulgare : passim ad agrorum margines : *Great Hounds-tongue.*

14 Cyno-

Cynoglossum minus folio virente, *Ger. emac.* ad agrorum margines sed rarius. *Small Hounds-tongue.*

Cynosorchis, *v.* Orchis.

Cyperus rotundus, inodorus septentrionalium, *Lob.* rotundus littoreus, *Ger. emac.* frequens in maritimis. *Round salt-marsh Cyperus.*

Cyperus gramineus milliaceus, *Lob. Ger. emac.* In aquosis. *Millet Cyperus grasse.*

D

DAucus vulgaris, *Offic.* Pastinaca syl. tenuifolia, *Dod. Ger.* in agris: *Wilde Carrot, or Bees-nest.*

Dens Leonis, Caput Monachi, Rostrum porcinum, Taraxacon, ubique in pratis. *Dandelion.*

Dentaria major, *Matth. Lob. Ger.* in sylvis quibusdam. *Great Toothwort, or Lungwort.*

Dipsacus vulgaris, Labrum Veneris, ad agrorum margines. *Wilde Teasell, or Venus bason.*

Dipsacus minor, sive Virga pastoris, *Matth.* ad sepes. *Sheepheards-rod.*

Digitalis purpurea, *Dod. Lob.* Ephemeri Diosc. alia species major, *Col.* Campanula sylv. *Trag.* in ericetis. *Fox-glove.*

Dulcamara, *v.* Solanum lignosum.

E

EBulus, Chamæacte, sive Sambucus humilis. In agris & cœmiteriis. *Walwort, Dwarfe Elder, or Daneweed.*

Echium alterum, *Dod.* Lycopsis Anglica, *Lob.*

In

In agris ſiccioribus & muris. *Wall Bugloſſe.*

Elæagnus Cordi, *Lob.* Chamæliagnus, *Dod.* Gagel Germanorum, Myrtus Brabantica, *Ger.* In humidis & uliginoſis ſed non ubique. *Gaule, ſweet Willow, Dutch Mirtle.*

Elaphoboſcum erraticum, *Tab.* Paſtinaca ſylveſtris, *Dod.* ad agrorum margines. *Wilde Parſenep.*

Elatine Dioſcor, ſive Veronica fœmina, *Fuch.* & *Dod.* inter ſegetes. *Female Fluellin, or Speedwell.*

Elatine, *Matth.* altera, *Dod. Lob. Ger.* inter ſegetes & ad agrorum margines. *Sharpe pointed Fluellin.*

Enula campana, *Offic.* ſive Helenium. In humidis pratis. *Elecampane.*

Equiſetum 1. *Matth.* Hippuris major, *Dod. Great Horſe-taile, or Shave-graſſe.*

Equiſetum nudum, *Ger.* Iunceum, *Trag.* In humidis & uliginoſis. *Naked Horſe-taile.*

Equiſetum longiſſimis foliis, ſive paluſtre majus, *Tab.* ſylvaticum, *Ger.* In foſſis & humidis pratis. *Wood Horſe-taile.*

Equiſetum arvenſe longioribus ſetis, ſive ſegetale, *Ger.* *Corne Horſe-taile.*

Equiſetum, ſive Hippuris lacuſtris foliis manſu arenoſis, *Geſn.* Hippuris coralloides, *Ger. emac. Horſe-taile Coralline.* On a bogge by *Smochall* a wood nigh *Bathe.*

Equiſetum fœtidum ſub aquis repens, *Bauh. Stinking-water Horſe-taile.*

Erica vulgaris, *Trag. Ger.* prima, *Matth. Dod.* In ericetis. *Common Heath.*

Erica

Erica tenuifolia, *Ger.* caliculato Vnedonis flo. *Lob.* cum priore. *Small leaved Heath.*

Erica major flo. purpureo, *Ger. Lob.* cum prioribus. *Great purple flowred Heath.*

Erigerum, *v.* Senecio.

Eryngium marinum vulgare: ad maris littus. *Sea-holly, or Eringoes.*

Erysimum *Diosc. v.* Irio.

Erysimum cereale, *v.* Fegopyron.

Eruca marina, *Lob.* Sinapi marinum Ægyptium, Alpini: ad maris littus. *Sea-rocket.*

Eruca sylvestris, *Matth. Dod.* In fissuris murorum: *Wilde rocket.*

Esula major Germanica *Ad. Lob. Ger.* Tithymalus palustris fruticosus, *Cam. Bau. Quacksalvers Turbith: Water spurge:* **By a wood side, some mile South of** *Bathe.*

Esula exigua, *Trag. Lob. Ger. emac.* inter segetes: *Dwarfe Esula,* or *Spurge.*

Euonymus Theophrasti, *Lob. Dod.* Carpinus, *Trag.* in sepibus. *Spindle tree, prick wood.*

Eupatorium vulgare, Agrimonia, *Offic.* in pratis: *Agrimony.*

Eupatorium cannabinum mas; vulgare: *Matth. Dod.* Herba S. Kunigundis. *Trag.* ad rivulos: *Water hempe, or hempe Agrimony.*

Eupatorium cannabinum fœmina Septentrionalium, *Lob.* Hepatorium aquatile, *Dod.* Verbena supina, *Trag.* In aquosis. Variat folio tripartitò diviso, & non diviso: *Bastard Agrimony.*

Euphrasia vulgaris, sive alba, *Dod. Eyebright.*

Euphrasia rub. *v.* Cratæogonon Euphrosine.

Euphrasia

Euphrasia cærulea, *v.* Myosotis scorpioides.

F

FAba major vulgaris, sive Phaselus major, *Dod.* Seritur in hortis & arvis. *Great garden Beanes.*

Faba minor vulgaris, Boona sive Phaselus minor, *Dod.* Seritur passim in agris. *Common Beanes.*

Fagus, in sylvis & montibus. *The Beech tree.*

Farfara, *v.* Tussilago.

Ferrum equinum siliquis in summitate, *Bauh.* Hedysarum minus, *Tab. Horse-shoe:* **On the Hils about** *Bath,* **and betweene** *Bath* **and** *Marleborow.*

Fegopyron, *Dod.* Erysimum Theophrasti, *Lob.* Ocymum cereale, *Clus.* Frumentum Sarracenicum, *Matth.* seritur in agris: *Buck, or Buck-wheate.*

Festuca & Avena Græca, *Lon. Cæs.* Bromos sterilis, *Lob. Ger.* Ægilops: 1. *Matth. Tab.* ad sepes: *Wilde Oates.*

Festuca altera, *Dod.* Bromos sterilis altera, *Lob. Ger.* inter segetes: *Dranke, or small wilde Oates.*

Filipendula vulgaris, Oenanthe, *Fuch. Lob.* in pratis quibusdam: *Dropwort.*

Filipendula aquat, *v.* Oenanthe.

Filix mas ramosa pinnulis dentatis: *Ger. Emac.* In uliginosis & umbrosis locis. *Branched male Ferne.*

Filix mas non ramosa, pinnulis latis densis minutim incisis, *Ger. emac.* Filix mas, *Matth. Fuch.*

Fuch. Dod. ubiq; ad sepes. *Common male ferne.*

Filix mas non ramosa pinnulis angustis raris, profundè dentatis, *Ger. emac.* In locis asperis & umbrosis. *Rock male Ferne.*

Filix mas non ramosa pinnulis latis auriculatis spinosis, *Ger. emac.* Ad sepes in locis saxosis, humidis, umbrosis. *Pointed male Ferne.*

Filix ramosa major, sive fœmina, *Matth. Dod. Ger.* ubiq; in sterilibus. *Female Ferne, or brakes.*

Filix florida, sive Osmunda regalis, in uliginosis. *Water Ferne, or Osmond royal.*

Filix saxatilis parva, sive Dryopteris candida, *Dod.* Adianthum album Plinii, *Lob.* In saxis & muris antiquis. *Wall Ferne.*

Flammula, *v.* Ranunculus flam.

Fragaria vulgaris, sive Trifolium Fragiferum, *Tab.* In sylvis & dumetis. *Strawberry.*

Fragaria minime vesca, sive sterilis, *Lob. Ger.* In ericetis. *Barren Strawberry.*

Fraxinus vulgaris, ubique in sepibus & sylvis. *The Ash tree.*

Fucus Phasganoides & Polyschides, *Ger. emac.* Ex mari. *Sea-girdle and hangers.*

Fucus spongiosus nodosus, *Ger. emac.* cum priore. *Sea Ragged-staffe.*

Fucus marinus rotundus, (quem à forma *Guil. Broad* nominavit) Ligula marina. *Sea-points or laces.* **On the South side of the Isle of** *Wight* **amongst the Rocks.**

Fumaria vulgaris. In satis. *Fumitory.*

Fumaria alba latifolia, claviculata, *Ger.* Capnos alba latifolia, *Lob.* ad sepes, sed rarior. *White broad-leaved Fumitory.*

Galega

G

GAlega syl. *Dod. v.* Aracus, *Tab.*
Galeopsis Diosc. *Clus.* Vrtica herculea, *Tab. Trag.* ad sepes. *Hedge-nettle.*

Gallium album, *Tab. Ger.* palustre, *Dod.* *White flowred Ladyes Bedstraw.*

Gallium album minus, *Tab.* In montosis. *Little white Ladyes Bedstraw.*

Gallium luteum, *Lob. Ger.* ubique in pratis. *Ladyes Bedstraw, Cheese-rening, and in Yorkeshire, Maydens-haire.*

Genista vulgaris. *Common Broome.*

Genista spinosa vulgaris. *Furze, Whins, Gorsse.*

Genistella, *Trag. Dod.* Genistella aculeata, *Lob. Ger.* in ericetis. *Needle Furze, or petty Whin.*

Genistella infectoria, *Lob. Ger.* Genista tinctoria, *Dod.* cum priore, & in montosis pascuis. *Green-weed, Diars-weed, Wood-waxen.*

Gentianella fugax autumnalis minor, *Ger.* in montosis. *Bastard, or Dwarfe Felwort.*

Geranium arvense, *Tab.* Gruinum, *Dod.* Cicutæfolio, *Bauh.* in agris & fossis gramineis. *Unsavory field Cranes-bill.*

Geranium batrachoides, sive Gratia Dei Germanorum. In humidis pratis. *Crow-foote Cranes-bill.*

Geranium columbinum, sive Pes Columbinus, *Dod. Lob.* Geranium 2. *Diosc. Trag. Matth. Fuch.* ad agrorum margines. Est & ejus altera species, foliis majoribus & magis dissectis. *Doves-foote.*

Geranium Rupertianum, sive herba Roberti, ad

ad sepes, & in umbrosis. *Herbe Robert.*

Geranium hæmatodes, sive sanguinale. *Red or bloody Cranes-bill.* **It growes about** *S. Vincents* **rock nigh** *Bristow.*

Geranium saxatile, *Cam.* In muris antiquis & saxorum fissuris. *Rock Cranes-bill.*

Gladiolus aquaticus, sive palustris, *Cordi.* Iuncus floridus, *Matth.* in paludosis. *Water Gladiole.*

Glastum, Isatis, seritur nonnullis in agris. *Woade.*

Glaux exigua maritima. *Lob.* *Black salt-wort.*

Glaux vulgaris, *Lob.* Glycyrrhiza syl. *Gesn.* Fœnugræcum syl. *Trag.* in montosis. *Wilde Liquorice, or Liquorice Hatchet-fetch.*

Gnaphalium vulgare, Filago, Centũculus, Herba impia: in agris & juxta vias. *Cud-weed, or Cotton-weed.*

Gnaphalium longiore folio, Anglicum, *Lob. Ger.* in sylvis. *English Cud-weed.*

Gnaphalium minus repens, sive minimum, *Lob.* Filago minor, *Ger.* in agris. *Small Cud-weed.*

Gramen pratense vulgare. *Lob. Ger.* *Meadow-grasse.*

Gramen paniculatum pratense minus. *Lob. Ger.* *Small Meadow-grasse.*

Gramen pratense paniculatum molle, *Bauh.* lanatum *Daleschampii.* *Hoary Meadow-grasse.*

Gramen pratense paniculatum minus, minimum album. *Ger.* *Dwarfe-grasse.*

Gramen caninum vulgare. *Common Dogges-grasse.*

Gramen

Gramen caninum marinum spicâ siligineâ. *Sea Dogges-grasse.*

Gramen caninum supinum. *Creeping Dogges-grasse.*

Gramen caninum nodosum avenaceâ paniculâ. *Knotty Dogges-grasse.*

Gramen tremulum, *v.* Phalaris pratensis minor.

Gramen agrorum latiore arundinaceâ & comosâ paniculâ, sive Agrorum venti spica, *Lob. Reed-grasse, Bent, Windle-straw.*

Gramen minus duriusculum, *Lob. Ger. Small hard Grasse.*

Gramen junceum, *Ger.* Bufonium, *Tab. Rush-grasse, or Toade-grasse.*

Gramen sylvaticum miliaceum. *Millet-grasse.*

Gramen majus aquaticum. *Great water-grasse.*

Gramen arundinaceum paniculatum, sive Calamogrostis. *Sheere-grasse, wilde-reed, Hen.*

Gramen sorghinum. *Sorgh-grasse.*

Gramen sylvaticum majus, *Ger.* Spicis asperis, *Bauh. The greater Wood-grasse.*

Gramen Alopecurinum majus, *Ger. Great bastard Fox-taile grasse.*

Gramen alopecuroides minus, *Small Fox-taile grasse.*

Gramen alopecuroides minus alterum, *Lob. Small bastard Fox-taile grasse.*

Gramen typhoides, sive typhinum minus, *Ger. Small Cats-taile grasse.*

Gramen typhoides spicâ longissimâ, *Bauh. Long eared Cats-taile grasse.*

Gramen aquaticum, sive junceum folio articu-

lato. *Water-grasse with joynted leaves.*

Gramen junceum sylvaticum folio articulato. *Wood Rushy-grasse.*

Gramen marinum spicatum. *Sea Spike-grasse.*

Gramen parvum marinum paniculâ loliaceâ. *Little Darnell grasse.*

Gramen junceum leucanthemum, fortè, Iunceum aquaticum, *Ger.* majus, *Tab.* *White flowred Rush-grasse.*

Gramen fluviatile, *Ger.* *Floate-grasse.*

Gramen palustre echinatum. *Hedge-hogge-grasse.*

Gramen capitulis Psyllii, sive exile hirsutum, *Lob. Ger.* *Hairy-grasse.*

Gramen hirsutum nemorosum. *Hairy Wood-grasse.*

Gramen nemorale avenaceum rariore grano. *Shaking Haver-grasse.*

Gramen avenaceum lanuginosum glumis rarioribus longis. *Hairy Haver-grasse.*

Gramen spica Brizæ majus. *Barley-eared grasse.*

Gramen spicâ secalinâ. *Rie-grasse.*

Gramen pratense cristatum, *Bauh.* *Cox-combe grasse.*

Gramen murorum spicâ longissimâ. *Capons taile grasse.*

Gramen sparteum, *v.* Spartum.

Gramen leucanthemum, *Dod.* *vid.* Holostium.

Gramen tomentosum & Linagrostis, *Tab.* Iuncus bombycinus, *Lob.* Linum pratense, *Cord. Gesn.* in uliginosis. *Cotton-grasse.*

Gramen caule triangulo, sive Cyperoides vulgare.

gare. *Common Cyperus-grasse.*

Gramen cyperinum nemorosum, *Tab. Ger. Cyperus Wood grasse.*

Gramen palustre cyperoides, *Lob. Ger. Great Cyperus-grasse.*

Gramen cyperoides parvum. *Small Cyperus-grasse.*

Gramen cyperoides paniculâ sparsâ majus, sive Cyperoides aquat. vulgatius. *Lob. Ger. Water Cypresse-grasse.*

Gramen cyperoides spicatum, *Ger.* foliis Vetonicæ, *Lob.* variat spicâ divulsâ, & simplici. *Spike Cypresse-grasse.*

Gramen cyperoides angustifolium majus spicis erectis. *Great narrow-leaved Cypresse-grasse.*

Gramen cyperoides spicis pendulis, Pseudocyperus, *Lob. Dod.* Ad aquas. *Bastard Cyperus.*

Gratiola angustifolia, sive minor, *Gesn.* Hyssopoides, *Cam.* In agris quibusdam. *Grasse Poley.*

Gratiola latifolia, *v.* Lysimachia galericulata.

H

HAlimus vulgaris, sive Portulaca marina. *Sea-purslaine.*

Hedera arborea, sive Corymbosa communis. *Climing, or berryed Ivy.*

Hedera helix, sive provoluta sterilis. *Barren, or creeping Ivy.*

Hedera terrestris, Chamæcissos. *Ground Ivy, Ale-hoofe, Gill go by ground.*

Hederula aquatica, *Lob. Ger. Water Ivy.*

Helenium, *v.* Enula.

Helian-

Helianthemum minus, *v.* Chamæcistus.

Helleborine latifolia montana. 1. *Ger.* *Wilde white Hellebore.* **Amongst the rocks not farre from** *Bathe.*

Helleborine angustifolia palustris, sive pratensis. *Narrow-leaved wilde white Hellebore.*

Helxine, *v.* Parietaria.

Hepatica alba, *Cord.* Gramen hederaceum sive Parnassi, *Lob. Ger.* in uliginosis, sed rarius. *Grasse of Parnassus.*

Hepatica vulgaris, *Offic. v.* Lichen.

Herba Gerardi, *Dod.* Padagraria Germanica, *Lob.* juxta oppida, & in viridariis. *Herbe Gerard, Ash-weed.*

Herba Paris, *Matth. Dod.* Solanum monococcum, tetraphyllum, *Gesn.* Vva Lupina, *Lugd.* Aster non Atticus, *Trag.* In Sylvis. *Herbe Paris, one berry.*

Hieracium minus præmorsâ radice, *Lob.* minus sive Leporinum, *Ger.* Lactuca leporina, *Trag.* ubique in pratis. Et ejus altera varietas paulo minor foliis magis dissectis. *Hares Lettice, or little Hawke-weed, yellow devills bit.*

Hieracium foliis & facie Chondrillæ, *Lob.* Aphacoides, *Ger.* In pratis. *Succory Hawke-weed.*

Hieracium fruticosum latifolium hirsutum, *Bauh.* in montosis pratis. *Rough mountaine Hawke-weed.*

Hieracium fruticosum angustifolium majus, *Bauh.* Sabaudum, *Lob.* Intybaceum, *Ger.* *Endive Hawke-weed.*

Hieracium macrorrhizon, *Tab.* sive longius

radicatum,

radicatum, *Lob. Ger.* In pratis. *Long-rooted Hawke-weed.*

Hieracium Dentis leonis folio hirsutum. *Ger. emac.* cum priore. *Dandelion Hawke-weed.*

Hieracium montanum hirsutum minus, *Bauh.* montanum alterum saxatile, *Col. Litle mountaine Hawke-weed.*

Hippuris, *v.* Equisetum.

Holostium vernum flore majore, Euphrasia gramen, *Trag.* Gramen, *Fuch.* alterum, *Matth.* Leucanthemum, *Dod.* Holostium Ruellii, *Lob.* Ad sepes passim. *Stitchwort with large flowres.*

Holostium alterum flo. minore; etiam ad sepes & in dumetis. *Stitchwort with lesser flowres.*

Holostium pumilum, non descriptum, pervenit in ericetis. *Dwarfe Stitchwort.*

Hordeum spontaneum spurium, Holcus Plinii, *Anguill. Wall Barley, way Bennet, or wilde Rye.*

Hordeum distichon, ubique seritur in agris. *Common Barley.*

Horminum sylv. sive Oculus Christi, *Offic.* Ad agrorum margines, & muros. *Wilde Clarye.*

Hyacinthus Anglicus vulgaris, *Ger.* ubique ad sepes & in sylvis. Ejus varietas flo. albo, rarior, ut etiam flo. carneo. *Hare-bells, or English Iacinth.*

Hyacinthus autumnalis minor, *Lob. Ger.* in arenosis collibus. *Small Autumn Iacinth.*

Hydropiper, *v.* Persicaria.

Hyoscyamus niger vulgaris. Apollinaris, Alturcum. in fimetis. *Hen-bane.*

Hypericum

Hypericum vulgare, Perforata, Fuga dæmonum. In pratis siccis & arvis. S. *Iohns-wort.*

Hypericum minus erectum, *Bauh.* Hypericum pulchrum, *Trag.* In dumetis & sylvis. *Vpright* S. *Iohns-wort.*

Hypericum minus, *Dod.* supinum glabrum, *Bauh. Ger. emac.* In agris. *Creeping* S. *Iohns-wort.*

I

IAcea nigra vulgaris, ubique in pratis. *Knap-weed, mate-Fellon.*

Iacea segetum purpurea major, *Lob. Ger.* Flos cyanoides, *Dod. Great mate-Fellon.*

Iacea foliis dissectis, flo. albo, in arvis, & pratis, sed rarior. *White Knap-weed.*

Iacea tricolor, *v.* Viola tricolor.

Iacobæa major vulgaris, Senecio major, *Matth. Great Ragge-wort, Seggrum.*

Iacobæa minor, muralis Belgarum. *Small Ragge-wort, or Seggrum.*

Illecebra, *v.* Sedum minimum.

Irio sive Erysimum, *Diosc. Lob.* Verbena fœmina, *Trag.* passim in viis. *Banke Cresses.*

Iuglans, sive Nux regia. In viridariis & agris. *The Walnut-tree.*

Iuncus acutus vulgaris sive paniculâ sparsâ, *Sharpe-rush, or hard-rush.*

Iuncus aquaticus maximus. *Bull-rush, Bumbles.*

Iuncus sive Scirpus medius, sylvaticus, *Tab. The lesser Bull-rush.*

Iuncus lævis vulgaris paniculâ sparsâ. *Common Rush.*

Iuncus

Iuncus lævis glomerato flore, *Lob.* *Smooth round-headed Rush.*

Iuncus lævis medullâ solidiore. *Candle-rush.*

Iuncus aquat. minor capitulis Equiseti, *Lob.* Clavatus, *Dalesch.* *Club-rush.*

Iuncellus omnium minimus, Chamæschœnos. *Dwarfe-rush.*

Iuncus floridus, *v.* Gladiolus.

Iuncus Bombycinus. *v.* Gramen tomentosum.

Iuniperus, in ericetis. *Iuniper.*

K

KAli majus geniculatum, sive Salicornia. In locis maritimis. *Glasse-worte, Salt-wort, Sea-grape.*

Kali minus, sive Kali album, *Dod.* cum priore. *Small Glasse-wort.*

Kali spinosum, *Lob.* Tragon improbus, *Matth.* ad maris littus. *Prickly Glasse-wort, or bastard Sea-grape.*

Keiri Arabum & *Offic.* *v.* Leucoium luteum.

Knawell, Germanorum, *v.* Polygonū angustif.

L

LAbrum Veneris, *v.* Dipsacus.

Lactuca agnina, *Ger.* Olus album, *Dod.* Ad agrorum margines & in agris. *Lambes-lettice, Corne-sallade.*

Lactuca syl. major odore Opii, sive Scariolæ hortensis folio, Lactucæ flore, Opii odore vehementi, soporifero & viroso. *Adv.* Ad agrorum margines, sed rarior. *Great stinking wilde Lettice.*

Lactuca syl. altera folio non laciniato, odore

minus

minus vehementi, Endivia, *Trag.* Thesion, *Daleschamp.* Ad agrorum margines. *Endive-leaved wilde Lettice.*

Lactuca syl. foliis dissectis, sive sylvestris, *Matth. Fuch.* Seris domestica, *Lob.* cum priore. *Cut-leaved wilde Lettice.*

Ladanum segetum Plinii, & Tetrahit angustifolium aliis, *Lugd.* Alyssum Galeni flore purp. *Tab.* Inter segetes. Variat flore albo. *Narrow-leaved All-heale, or Iron-wort.*

Lagopus, sive pes leporinus minor vulgaris; In agris. *Hares-foote.*

Lamium rubrum, *Ger.* Vrtica non mordax fœtens purpurea, *Lob.* *Red Archangell, small dead Nettle.*

Lamium vulgare flor. albo, ubique ad sepes. *Archangell, dead Nettle.*

Lamium flore luteo; ad sepes & in sylvis. *Yellow Archangell.*

Lampsana, *Lob.* Sonchus sylvaticus, *Tab.* Papillaris, *Cam.* ad sepes. *Dock-cresses, Tetterwort.*

Lapathum acutum, *Ger.* *Sharpe pointed Dock.*

Lapathum acutum minimum, in pratis. *Small sharpe Dock.*

Lapathum syl. folio minus acuto. *The roundish-leaved wilde Dock.*

Lapathum aquaticum, sive Hydrolapathum majus. *Great Water-dock.*

Lapathum aquaticum, sive Hydrolapathum minus. *Small Water-dock.*

Lappa major, *v.* Bardana.

Lathyrus latiore folio, *Lob.* Clymenum, *Matth.* Ervum sativum, *Cordi.* In sylvis & dumetis, sed

sed minus frequens. *Pease everlasting.*

Lathyrus syl. flo. luteis, *Thalii.* Vicia, *Tab.* Legumen terræ glandibus simile, *Dod.* Aphacoides, *Quorund.* ubique in pratis & sylvis. *Tare everlasting.*

Laureola, *Dod. Ger.* Daphnoides, *Lob. Tab.* Thymælea, *Trag.* In sylvis. *Laureol, Spurglaurell, Lowry.*

Lens palustris. *Water-lentill, Ducks-meate.*

Leucoium luteum, Viola lutea, *Trag.* Keiri vel Cheiri, *Offic.* In muris. *Wall-flowre.*

Lichen, *Matth. Fuch. Dod.* Iecoraria, sive Hepatica fontana, *Trag.* Hepatica, *Offic.* In humidis & umbrosis. *Liverwort.*

Lichen petræus stellatus & umbellatus, sive Hepatica stellata & umbellata, *Ger.* uterque in humidis umbrosis. *Starry-headed, and round-headed Liverwort.*

Lichen arborum, sive Pulmonaria, *Trag. Matth. Fuch. Dod.* Arboribus præsertim Quercui adnascitur. *Tree Lung-wort.*

Lichen marinus, *Ger. v.* Bryon Lactucæ fol.

Ligustrum vulgare, in sepibus. *Privet, or Primprint.*

Lilium convallium, *Matth. Dod. Lob. Ger.* In ericetis. *Lilly-convall, May Lilly.*

Limonium verum, *Diosc. & Antiquorum. v.* Plantago aquat.

Limonium vulgare, *Lob. Matth.* Behen rubrum, *Quibusd.* Valerianæ rubræ similis pro Limonio missa, *Dod.* An Britannica, *Diosc?* Vbique in maritimis. *Sea-lavander.*

Linaria vulgaris flo. luteo, Osyris, *Matth.*

Fuch. Lob. in pratis. *Toade Flax.*

Lingua cervina, *Offic. v.* Phyllitis.

Linum vulgare sativum, seritur in arvis. *Common Flax, or Line.*

Linum sylvestre Catharticum, *Ger. emac.* in montosis. *Mill mountaine.*

Lithospermum majus, sive Milium solis, *Offic.* In collibus. *Gromill.*

Lithospermum syl. *Trag. v.* Anchusa degener.

Lolium album, *Ger.* Triticum temulentum, *Lob. Ad.* Inter segetes. *Darnell, Iuray, Ray.*

Lolium rub. *Ger.* Phœnix, *Matth. Dod.* Hordeum murinum Plinii, *Lob. Tab.* Iuxta semitas. *Red Darnell, great Darnell grasse.*

Lonchitis vulgaris, aspera. *Ger.* altera Dioscoridis, *Lob.* In asperis & umbrosis. *Combeferne, rough Spleene-wort.*

Lujula : *v.* Trifolium acetosum.

Lunaria minor, *Matth. Dod. Ger.* racemosa, *Lob.* Epimedium Dioscoridis, *Col.* In ericetis & montosis, sed rarior. *Small Moone-wort.*

Lupulus salictarius sive Lupus salictarius, Plinii, *Lob. Dod.* In sepibus. *Hopps.*

Luteola, *Lob.* Antirrhinum ; *Trag.* Catanance ; *Tab.* Luteum ; *Vitruvii,* Lutea ; *Plinii,* Pseudostruthium ; *Matth.* *Yellow weede, and of some wilde woade.*

Lycopsis Anglica ; *Lob. v.* Echium alterum.

Lychnis marina Anglica ; *Lob. Ger.* *Sea-rose Campion.*

Lychnis sylvestris flore rubello, fortè Hesperis, Theophrasti ; *Lob.* Ocimastrum, sive Ocimoides ; *Matth.* Melandrium Plinii ; *Clus.* Saponaria

naria hirsuta, *Italis*. ad sepes. *Wilde red rose Campion.*

Lychnis syl. flore albo : cum priore. *Wilde white rose Campion.*

Lychnis segetum parva viscosa flore albo. Alsine spuria 4 *Dod.* Alsine viscaria, *Cam. Mouse-eare Campion, or Catch-fly Campion.*

Lysimachia lutea, *Trag. Fuch. Lob.* ad rivulos. *Loose strife, yellow Willow-herbe.*

Lysimachia siliquosa hirsuta magno flor. *Bauh.* Purpurea. 1. *Fuch.* cum priore. *Great codded Willow-herbe.*

Lysimachia siliquosa hirsuta parvo flore : In humidis. *Small flowred Willow-herbe.*

Lysimachia siliquosa glabra major. *Smooth-codded Willow-herbe.*

Lysimachia siliquosa glabra minor, *Bauh.* In hu midis saxosis. *Litle-codded Willow-herbe.*

Lysimachia spicata purpurea, fortè *Plinii*, passim ad rivulos. *Spiked Willow-herbe.*

Lysimachia cærulea, galericulata, *Lob.* Gratiola cærulea, *Quorund.* Tertianaria, *Tab.* cum priore. *Hooded Willow-herbe, or Loose-strife.*

Lysimachia galericulata minor. sive Gratiola latifolia, *Ger.* In uliginosis. *Litle hooded Willow-herbe, bastard hedge Hyssope.*

M

MAlva vulgaris, procerior, *Lob. Dod.* major; *Tab. Common Mallow.*

Malva syl. pumila, *Fuch. Dod.* repens pumila, *Lob.* in ruderibus. *Dwarfe-Mallow.*

Malva verbenaca, *Ger. v.* Alcea.

Malus sylvestris, fructu majore, minore albo rubro. In sepibus & sylvis. *Crab-tree, or Wilden-tree.*

Marrubium album, Prassium, in collibus. *Horehound.*

Marrubium nigrum fœtidum; *v.* Ballote.

Marrubium aquaticum, *Trag. Dod. Lob.* Sideritis, 1. *Matth. Water Horehound.*

Marrubium aquaticum acutum, *Ger. vid.* Sideritis.

Matricaria: *v.* Parthenium.

Matrisylva: *v.* Periclymenum.

Medica: *v.* Trifolium cordatum & luteum.

Melilotus, *Offic.* Sertula campana, *Plinii*, Lotus urbana; *Matth.* in agris. *Melilote.*

Melilotus coronaria seu coronata, *Lob. v.* Trifolium corniculatum.

Menthastrum, *Trag. Matth.* Mentha equina, *Brunfelsii.* In pratis humidis. *Horse-mint.*

Mentha felina, vel Cattaria, Nepeta vulg. *Trag:* ad sepes. *Cats-mint.*

Mentha aquatica, sive Sisymbrium, *Fuch. Dod.* Balsamita, vel Balsamine, *Offic.* ad rivulos. *Water-mint.*

Mercurialis testiculata, sive mas, *Diosc. Plin. Matth. Male Mercury.*

Mercurialis spicata, sive Fœmina *Diosc. Plin. Matth. Female Mercury.* Both those grow by the Sea side at *Ride* in the Isle of *Wight.*

Mercurialis montana testiculata & spicata, *Bauh. v.* Cynocrambe.

Milium solis. *v.* Lithospermum.

Millefolium vulgare album, terrestre majus, *Tab.*

Tab. Stratiotes millefolia, *Fuch.* Achillea, *Dod.* In pratis. *Common Milfoile, or Yarrow.*

Millefolium vulgare flo. diluti ruboris, *Trag.* purpureum, *Lob. Dod. Tab.* cum priore. *Red flowred Milfoile, or Yarrow.*

Millefolium aquaticum caule nudo, *Bauh.* Myriophyllum equisetifolium palustre, *Lob.* Viola aquatilis, *Dod.* Fœniculum aquat. 2. *Tab.* Variat foliis crassioribus, & tenuioribus. *Water Violet.*

Millefolium sive Maratriphyllum flore & semine Ranunculi aquat. Hepaticæ facie, *Ger.* Fœniculum aquaticum 3. *Tab. Water Fennell, Crow-foote Milfoile.*

Millefolium fluviatile tenuifolium, *Ger. emac.* Myriophyllum maratriphyllum palustre alterum, *Lob. River Milfoile, or Fennell leaved water Milfoile.*

Millegrana minima, *Lob.* Polygonum polyspermum, *Quorund.* In ericetis siccioribus. *Litle Rupture-wort.*

Mollugo montana, *Dod. Great bastard Madder.*

Morsus diaboli, Succisa, Pycnocomon, Dioscoridis, *Col.* In sylvis. *Devils bit.*

Morsus gallinæ, *v.* Alsine heder.

Morsus Ranæ, *Dod. Lob.* in aquis. *Frogge-bit.*

Muscus terrestris vulgaris. *Common earth mosse.*

Muscus albus marinus vulgatissimus, *Lob. White sea mosse.*

Muscus marinus ramosus multifido folio, Marinus, *Clusii, Ger. emac. Branchy sea mosse.*

Muscus marinus, *Matth.* 1. Corallina, *Offic.*

Muscus

Muscus coralloides, sive Corallina montana, *Tab. Ger.* in ericetis siccioribus, & montosis. *Corall Mosse, or Mountaine Coralline.*

Muscus parvus stellaris, *Ger. emac. Small Heath Mosse.*

Muscus terrestris, *Trag. Matth.* Clavatus & Lycopodium, *Lob. Ger.* Chamæpeuce *Cordi.* In ericetis. *Club Mosse, or Wolfes claw.*

Muscus major denticulatus; In aquosis. *Great-toothed Mosse.*

Muscus capillaris: *v.* Adianthum aureum.

Muscus pyxoides, sive pyxidatus, *Ger.* In montosis & muris. *Cuppe or Chalice Mosse.*

Muscus arboreus, *Trag. Matth. Dod.* Quernus, *Lob. Ger.* In quercu, pomo, &c. *Tree Mosse.*

Muscus ramosus floridus, *Tab. Ger.* In quercubus. *Flowring branched Mosse.*

Myosuros, sive cauda murina, *Dod. Lob. Ger.* In ericetis & pascuis sterilibus. *Mouse-taile.*

Myosotis scorpioides arvensis hirsuta, *Ad. Lob.* Auricula muris cærul. *Tab.* Echiũ palustre alterũ, *Thal.* In agris. *Mouse-eare Scorpiõ-grasse.*

Myosotis scorpioides palustris, Euphrasia cærulea, *Trag. Tab.* Heliotropium minus in palustribus, *Cæsalp.* Echium palustre, *Cordi. Thal. Water Scorpion-grasse.*

Myrrhis syl. *v.* Cicutaria alba.

Myrrhis nova Æquicolorum, *Col.* Cicutaria parva tenuifolia. Ad agrorum margines. *Hemlock Chervill.*

N

NApus, Bunias. *Fuch. Lob.* Ad agrorum margines. *Wilde Navew.*

Narcissus

Narcissus luteus, *Trag. Ges.* Βυλβυκώδιον, *Theoph.* Pseudonarcissus, *Dod. Ger.* In locis humidis & umbrosis. *Daffadill, or Daffadowndilly.*

Nasturtium aquaticum, *Offic. v.* Sium.

Nasturtium hybernum, *v.* Barbarea.

Nasturtium petræum, *Ger.* In agris. *Stone-Cresses.*

Nidus avis, *Dod.* Satyrium abortivum, *Lob. Ger.* In sylvis. *Birds nest.*

Nepeta vera, est Calamintha Puleg. odore.

Nepeta vulgaris, est Mentha Cattaria.

Nucula terrestris, *v.* Bulbocastanum.

Nummularia vulgaris, sive major lutea. In humidis pratis. *Yellow money-wort, or herbe Two-pence.*

Nummularia minor purpurascente flore, *Bauh. Ger. emac.* In uliginosis. *Litle purplish-flowred Money-wort.*

Nymphæa alba major. In fluviis & rivulis. *Great white water Lilly.*

Nymphæa alba minor. In rivulis & stagnantibus aquis. *Litle white water Lilly.*

Nymphæa lutea major, cum priore. *Great yellow water Lilly.*

Nymphæa lutea minor, cum reliquis. *Litle yellow water Lilly.*

O

OCymum cereale, *Clus. v.* Fegopyron.

Oculus Christi, *v.* Horminum syl.

Oenanthe aquatica; *Lob.* Filipendula aquat. *Ger.* Iuncus odoratus aquatilis, *Dod. Water Dropwort.*

Oenanthe,

Oenanthe, sive Filipendula virosa maxima, Cicutæ facie, *Lob. Ger.* Ad rivulos & fossas. *Hemlock Dropwort.*

Onobrychis ; *v.* Caput gallinaceum.

Ononis ; *v.* Anonis.

Onopyxos ; *v.* Carduus asininus.

Ophioglossum, Enophyllon ; *Ad. Lob.* Lingua vulneraria ; *Cord.* In pratis humidis. *Adders-tongue.*

Ophris, *Matth.* Bifolium, *Dod. Lob.* In sylvis & pratis humidis. *Twablade.*

Orchis morio mas foliis maculatis, sive Cynosorchis morio mas; *Ger. emac. The male Foole-stones, or Crow-toes.*

Orchis, sive Cynosorchis morio fœmina, *Lob. Ger.* In pratis ut etiam mas. *The female Foole-stones.*

Orchis, sive Cynosorchis flor. purpurascente, Pannonica 4. *Clus.* in montosis pratis. *Litle purple-flowred Dogges-stones.*

Orchis alba calcare oblongo, sive Testiculus vulpinus. 1. *Lob.* Testiculus Psycodes ; *Ger. emac.* In sylvis & humidis pratis. *Gnat Satyrion.*

Orchis, sive Testiculus vulpinus, 2. Sphegodes ; *Lob. Ger.* In collibus, sive montosis pratis. *Humble-Bee Orchis.*

Orchis myodes prima, floribus muscam exprimens ; *Lob.* Myodes ; *Ger. emac. Fly Satyrion.* **This grew on a hill, South-west of** *Bathe.*

Orchis flo. albo odorato, *Cam.* Testiculus odoratus; *Lob. Ger.* In montosis pratis. *Lady-Traces.*

Orchis

Orchis spiralis autumnalis, Triorchis; *Ger.* In editioribus locis. *Triple Lady-Traces.*

Orchis palmata minor calcaribus oblongis, Serapias minor nitente flo. *Lob. Ger.* In montosis. *Spurre-flowred Orchis, or Red-handed Orchis.*

Orchis palmata pratensis major, sive Palma Christi mas, *Ger.* Satyrium basilicum mas *Dod.* In pratis. *Male Satyrion royall, Gander-gosses.*

Orchis palmata pratensis maculata, *Bauh.* Palma Christi fœm. *Ger.* Satyrium basilicum fœm. *Dod.* *Female Satyrion royall.*

Orchis palmata montana maculata, *Bauh.* Serapias candido flo. *Lob. Ger.* *White-handed Orchis.*

Orchis palmata palustris latifolia, *Bauh.* Serapias palustris latifolia, *Lob. Ger.* In humidis pratis. *Marish Satyrion.*

Orchis palmata palustris maculata, *Bauh.* *Spotted marish Satyrion.*

Orchis radice repente, *Cam.* sive Palma Christi rad. repente, *Ger.* In sylvis & pratis humidis. *Creeping Satyrion.*

Origanum vulgare, *Trag. Matth.* sylvestre; *Fuch. Dod.* Anglicum, *Ger.* Agrioriganum, sive Onitis major, *Lob.* Ad sepes & agrorum margines. *Wilde Marjerome.*

Ornithogalum angustifolium majus floribus ex albo virescentibus, *Bauh.* Asphodelus bulbosus, Gałeni; *Dod. Ger.* *Onion Asphodill, Greene starre flowre.* It growes in the way betweene *Bathe* and *Bradford*, not farre

from litle *Ashley.*

Orobanche, Rapum genistæ. In ericetis. *Broome Rape.*

Ornithopodion, *Dod. Lob. Ger.* In ericetis & locis aridis. *Birds Foote, or Birds Claw.*

Osmunda regalis ; *v.* Filix florida.

Oxyacantha, *Matth. Lob.* Spina appendix Plinii, *Ges.* In sepibus passim. *The white Thorne, or Haw-thorne-tree.*

Oxyacanthus Galeni, *Cam.* Crespinus, *Matth.* Barbaris, *Offic.* In viridariis & sepibus. *Berberryes.*

Oxalis, *v.* Acetosa.

Oxymyrsine ; *v.* Ruscus.

Oxys, Plinii ; *v.* Trifolium acetosum.

P

PAlma Christi, *i.* Orchis Palmata.

Panax Coloni, *v.* Sideritis.

Papaver corniculatum flo. luteo. In maritimis. *Yellow horned Poppy.*

Papaver rhœas, *Lob. Ger.* Erraticum, *Matth. Dod.* Inter segetes. *Red Poppy, Corne-Rose.*

Papaver erraticum alterum, *Fuch. Dod.* erraticum minus, *Tab.* cum priore. *Litle red Poppy, or Corne-Rose.*

Papaver spontaneum syl. *Lob. Ger. emac.* In agris & ad agrorum margines. *Wilde Poppy.*

Papaver spumeum ; *Lob. v.* Behen album.

Paralysis, *Offic. v.* Primula pratensis.

Paronychia vulgaris, *Dod.* alsinefolia, *Lob.* Bursa pastoria 6. *Trag.* in tectis & muris *Chick-weed whitlow-grasse.*

Pa-

Paronychia altera, *Dod.* rutaceo folio; *Lob.* Alsine petræa rubra, & Paronychia 3. *Tab.* cum priore. *Rue Whitlow-grasse.*

Parietaria vulgaris, Helxine, in muris antiquis, & ruderibus. *Pellitory of the wall.*

Parthenium, *Matth.* Matricaria, *Dod. Lob.* Artemisia tenuifolia, *Fuch. Tab.* in muris & ad sepes. *Feverfew.*

Pastinaca syl. *Dod. v.* Elaphoboscum.

Pastinaca syl. tenuifolia, *v.* Daucus.

Pecten Veneris, *Matth. Ger.* Scandix, *Dod.* Inter segetes. *Sheepheards-Needle, Venus Combe.*

Pedicularis rubra, sive Ruta pedicularis, *Tab.* Alectorolophos; *Lob.* Fistularia, *Dod.* In pratis humidis. *Red Rattle, or Lowse-wort.*

Pedicularis pratensis lutea, sive Crista galli herbariorum, *Lob.* *Yellow Rattle, or Cockes-Combe.*

Pentaphyllum, sive Quinquefolium vulgare. *Common Cinquefoile, or Five-leaved grasse.*

Pentaphyllum, sive Quinquefolium petræum majus; *Tab.* Tormentillæ facie, *Ger.* Pentaphyllum album, *Matth.* exiguum alterum; *Trag.* In agris siccioribus, & ad muros. *Wall Cinquefoile.*

Pentaphyllum rubrum palustre. *Marsh Cinquefoile.*

Perchpier Anglorum, *Lob. Ger. emac.* Alchimilla montana, *Col.* In agris siccioribus. *Parsley Breakestone.*

Perfoliata, *Matth. Dod. Lob. Ger.* In agris inter segetes. *Thorow-waxe.*

Persicaria mitis maculosa; *Lob. Ger.* altera; *Trag.*

Trag. Matth. ubique in aquosis. *Dead, or spotted Arsmarte.*

Persicaria urens, *Lob.* Hydropiper, *Matth. Fuch. Dod. Ger.* in aquosis. *Arsmarte, water-pepper.*

Periclymenum, *Trag. Fuch.* non perfoliatum septentrionalium, *Lob.* Caprifolium, Matrisylva, *Offic. Dod.* In sepibus & sylvis. *Woodbinde, Hony-suckle.*

Pes anserinus ; *v.* Atriplex syl.

Pes columbinus ; *v.* Geranium columbinum.

Petasites, *Lob. Ger.* Tussilago major, *Matth.* Ad fluminum & rivulorum ripas. *Butterburre.*

Peucedanum, Pinastellum, Fœniculum porcinum. *Sulphure-wort, Harestrong, Hogges fennell, and of the vulgar Spreusidany.* **In** *Kent* **betweene** *Feversham* **and the Sea.**

Peucedani facie pusilla planta, *Lob.* Selinum montanum pumilum, *Clus.* Peucedanum pumilum, aut (quod magis arridet) Petroselinum. *Dwarfe Hogges-fennell, or Rock-persley.* **On** S. *Vincents* **Rock nigh** *Bristow.*

Phalaris sativa, *Matth. Dod. Lob.* Semen Canariense vulgi. Iuxta oppida ex seminibus inter domorum purgamenta ejectis. *Canary seede.*

Phalaris pratensis minor, *Lob.* Gramen leporinum, & Tremulum, *Tab.* In montosis pratis. *Quaking-grasse, Cow-quakes.*

Phellandrium ; *v.* Cicutaria palust.

Phœnix ; *v.* Lolium rub.

Phu ; *v.* Valeriana.

Phyllitis, *Matth. Dod.* Lingua cervina, *Offic.*

Scolo-

Scolopendrium, *Brunf.* Scolopendria vulg. *Trag.* In asperis & umbrosis. *Harts-tongue.*

Pilosella major, *Fuch. Dod.* Auricula muris major, *Trag.* Ad agrorum margines. *Great Mouse-eare.*

Pilosella siliquata, *Thal.* Paronychia altera Myagri folio, *Ges.* ad agrorum margines. *Codded Mouse-eare.*

Pimpinella sanguisorba major, *Matth.* Italica major, *Thal.* sylvestris, *Ger.* In pratis. *Great Burnet.*

Pimpinella sanguisorba minor, *Matth.* Italica minor, *Thal.* hortensis, *Ger.* In montosis pratis. *Small, or litle Burnet.*

Pimpinella saxifraga major; *Trag. Fuch.* Saxifraga magna, *Dod. Lob.* Tragoselinum majus; *Tab.* In pratis & pascuis. *Burnet Saxifrage.*

Pimpinella saxifraga minor. Bipennella, Saxifraga hircina minor, *Lob.* Tragoselinum petræum; *Trag.* In pratis & montibus. *Small Burnet saxifrage.*

Pinguicula (vel Liparis) *Ges. Clus. Ger.* Cucullata, quibusdam Crias, Apulei, *Lugd. Butterworts, Yorke-shire Sanicle.* **In a bogge about the midde way betweene** *Sarisbury* **and** *South-hampton.*

Pisum arvense, flore albo, aut roseo; fructu albido, aut cinericeo; Seritur in arvis. *White Pease, and gray Pease.*

Plantago marina, *Lob. Dod. Ger.* *Sea-Plantaine.*

Plantago major latifolia vulgaris. *Great Plantaine, or Waybreed.*

Plantago major incana, *Lob.* media, *Fuch. Dod.*

In

In pratis; *Hoary Plantaine.*

Plantago panniculâ sparsâ, Sarothrodes, & Corematophora, sive Scoparia, *Lob. Besome Plantaine, or Plaintaine with spoakie tufts.* **We found this onely in the Isle of** *Tenet.*

Plantago minor angustifolia, Quinquenervia; *Lob. Ger.* lanceolata, *Trag. Tab.* ubique in pratis & pascuis. *Rib-wort, or Rib-wort Plantaine.*

Plantago aquatica major, Limonium verum, *Diosc.* & *Antiq. Great water Plantaine.*

Plantago aquatica minor stellata, Damasonium stellatum, *Lugd.* In stagnantibus aquis. *Starry-headed water Plantaine.*

Plantago aquatica humilis angustifolia capitulis rotundis echinatis. In fossis. *Dwarfe water Plantaine.*

Podagraria; *Lob. v.* Herba Gerardi.

Polyacantha; *v.* Carduus spinosiss.

Polyanthemū palust. *Dod. v.* Ranunculus aquat.

Polygala Recentiorum, *Lob.* Amarella, *Ges.* Flos ambervalis, *Dod.* Variat. flor. colore cæruleo, purpureo violaceo, carneo, albo. Nascitur montosis siccioribus. *Milke-wort, and by some (but falsely, taking it for* Gratiola) *Hedge Hyssope.*

Polygonum fœm. *Diosc.* Cauda equina fœmina, *Ger.* In aquosis. *Female Horse-taile, short Shave-grasse: Paddow pipe.*

Polygonum mas vulgare, Centinodia. Sanguinaria, corrigiola, passim in areis & juxta semitas. *Common Knot-grasse.*

Polygonum angustissimo gramineo folio; *Bauh.* exiguum, *Dod.* minus Polycarpon, *Tab.* **Knawell,** *Trag.* & *Germanorum.* Polygonum selinoides,

noides; *Ger.* Inter segetes. *Parsley piert.*

Polygonatum vulgare, Sigillum Solomonis, *Offic.* In sylvis. *Salomons seale.*

Polytrichum: *v.* Capillus Veneris.

Polypodium vulgare. In quercubus & muris antiquis, *Polypody.*

Populus nigra vulgaris, juxta rivulos. *Blacke Poplar.*

Populus tremula, Lybica, *Matth. Dod. Lob. Trag.* In sepibus & sylvis humidis. *The Aspe, or Aspen-tree.*

Portulaca aquat: *v.* Alsine rotundifolia.

Portulaca marina: *v.* Halimus.

Potamogeton latifolium. In stagnantibus aquis & piscinis. *Pond-weed.*

Potamogeton angustifolium, cum priore. *Narrow-leaved Pond-weed.*

Potamogeton perfoliatum, sive 3. *Dod.* In fluviis. *River-weed, or small Pond-weed.*

Potentilla; *v.* Argentina.

Prassium: *v.* Marrubium.

Primula veris, sive Primula sylvarum, *Lob.* Alisma sylvarum, *Col.* *Primrose.*

Primula pratensis, herba Paralysis, *Offic.* Alisma pratorum, *Col.* *Cowes-lips.*

Primula pratensis inodora, lutea pallida, *Lob. Ger.* *Oxe-lips.*

Prunella vulgaris, *Trag.* Consolido minor, *Matth.* Variat flor. albis. In pratis. *Selfe-heale.*

Prunus sylvestris fructu majore, Pruni syl. altera spec. *Trag.* Pruna syl. præcocia, *Bauh.* In sepibus. *Bullas-tree.*

Prunus

Prunus sylvestris fructu minore serotino, Prunellum, vel Prunulum, *Offic.* Acacia Germanica, *Quorund.* In sepibus & dumetis. *The Sloe-tree, Snag-tree, or Black-thorne.*

Pseudomelanthium, *Matth.* Nigellastrum; *Dod.* Lychnis segetum sive arvensis; *Tab.* Githago; *Trag.* Inter segetes. *Cockle.*

Pseudonarcissus; *v.* Narcissus.

Ptarmica vulgaris, *Lob.* Pyrethrum syl. *Dod.* Tanacetum album, *Trag.* In pratis. *Sneese-wort, bastard Pellitory.*

Pulegium vulgare, sive mas: In locis humidis. *Penniroyall, Pudding-grasse.*

Pulmonaria; *v.* Lichen arborum.

Pulmonaria Gallorum Hieracii flore, sive Aurea latifolia, *Ger. emac.* Auricula muris major; *Trag.* Corchorus, *Dalesch.* *French or Golden Lung-wort.* **About** *Godliman* **in** *Surrey.*

Q

QVercus vulgaris. *The Oake-tree.*

Quercus marinæ variæ species. *Divers sorts of Sea-Oake or Wrack.*

Quinquefolium; *v.* Pentaphyllum.

R

RAnunculus auricomus, *Lob.* dulcis, *Trag.* In pratis & dumetis. *Goldylockes Crow-foote; Butter-flowre, or Butter-cup.*

Ranunculus arvensis echinatus, *Bauh.* Arvorum, *Lob. Ger.* Inter segetes. *Rough-headed Crow-foote.*

Ranunculus aquatilis; *Dod. Ger.* aquat. hepaticæ

ticæ facie; *Lob.* Polyanthemum aquaticum, vel palustre; *Dod.* *Water Crow-foote.*

Ranunculus aquaticus hederaceus luteus, *Bauh.* hederaceus, *Dalechamp. Lugd.* *Ivy-leaved water Crow-foote.*

Ranunculus Apii folio, vel palustris rotundiore folio; *Lob.* Herba Sardoa, *Guiland.* Ranunculus strumea & Apiastrum, *Plinii.* *Marish Crow-foote, or Round-leaved Speare-wort.*

Ranunculus aquaticus lanceatus major; *Tab.* Flammeus major, *Ger.* In uliginosis & stagnantibus aquis. *Great Speare-wort.*

Ranunculus aquatilis angustifolius, *Lob.* Flammeus minor, *Ger.* Flammula, *Dod.* cum priore. *The lesser Speare-wort.*

Ranunculus aquatilis angustifolius serratus, *Lob.* Flam. serratus, *Ger.* Flammula serrato folio; *Dod.* *Iagged Speare-wort.*

Ranunculus bulbosus, *Lob. Ger.* tuberosus; *Dod.* In pratis. *Round-rooted Crow-foote.*

Ranunculus minimus Septentrionalium herbido muscoso flore, *Lob.* Radix cava minima, *Ger.* In dumetis. *Dwarfe Crow-foote, or small Bunikins Hollwortell.*

Ranunculus pratensis maculatus, surrectis cauliculis, *Lob. Ger.* *Tall meadow Crow-foote.*

Ranunculus pratensis hirsutus, reptante cauliculo; *Lob.* Pratensis etiamque hortensis, *Ger.* *Common Crow-foote, or Butter-cups.*

Ranunculus parvus echinatus; *Ger. emac.* Apuleii, quibusdam, *Clus.* In locis humidis. *Litle rough-headed creeping Crow-foote.*

Raphanus aquaticus, *Tab. Ger.* foliis in pro-

fundas lacinias divisas, *Bauh.* *Cut-leaved Water-Radish.*

Raphanus aquaticus alter foliis minus divisis, Rapistrum aquat; *Tab. Ger.* *Water-Radish with lesse cut leaves, water Chadlock.*

Raphanus rusticanus, *Offic.* In locis quibusdam, ubi ex hortis radicum particulæ projectæ fuerunt. *Horse-radish.*

Rapistrum arvorum, *Lob. Ger.* Sinapi agreste. 4. *Trag.* In agris. *Charlock or Chadlock.*

Rapistrum alterum foliis minus incisis glabris, Lampsana, *Matth.* In agris & ad eorum margines. *Great Charlock.*

Rapistrum flore albo erucæ foliis, *Lob.* Raphanus sylvestris, *Ger.* Inter segetes. *Wilde Radish.*

Rapum Genistæ, *v.* Orobanche.

Rapuntium parvum, *Lob. Ger.* Rapunculus minor, *Matth. Dod.* Ad sepes & in viridariis. *Litle Rapion.*

Rapuntium corniculatum montanum, *Col.* Rapunculus corniculatus montanus, *Ger. emac.* *Horned Rampion.* **It growes plentifully betweene** *Selbury* **hill and** *Beacon* **hill, in the way to** *Bathe.*

Regina prati, *v.* Vlmaria.

Reseda vulgaris, Eruca peregrina, Italica, vel Cantabrica: *Lob.* In montosis. *Italian Rocket.*

Resta Bovis; *v.* Anonis.

Rhamnus catharticus, sive Spina infectoria, *Matth. Lob.* Spina cervina, *Gesn.* In sepibus & dumetis. *Buck-thorne.*

Rorella foliis rotundis, sive Ros solis folio rotundo,

tundo ; *Ger.* in uliginosis. *Sunne-dew, Rosa solis, Red-rot.*

Rorella sive Ros solis foliis oblongis: cum priore. *Sundew, or Rosa solis with longish leaves.*

Rosa sylvestris, *Matth. Dod.* Cynosbatos, *Diosc. Adv.* Cynorrhodos, *Plinii:* Canina, *Cam.* In sepibus & dumetis. *The Briar-Bush, or Dogges-rose.*

Rosa syl. pomifera, *Lob.* Rosa arvina, *Tab.* Pimpinellæ folio ; *Ger.* In sterilibus pascuis, & ericetis. *Pimpernell Rose.*

Rubia major, Erythrodanum, Rubia tinctorum ; *Offic.* *Madder.* At S. *Vincents* Rocke nigh *Bristow.*

Rubia syl. lævis, Rubia syl. *Matth. Fuch. Lob.* passim in sepibus. *Wilde Madder.*

Rubia cynanchica, *Bauh.* Synanchica, *Lugd.* Saxifraga Anglica, *Advers.* In collibus siccioribus & cretaceis. *Squincie-wort, small English Saxifrage.*

Rubeola arvensis repens cærulea, *Bauh.* Rubeola arvensis ; *Cam.* Inter segetes. *Litle field Madder.*

Rubus vulgaris fructu nigro. In sepibus & dumetis. *Bramble bush, or Blacke-berry bush.*

Rubus repens fructu cæsio, *Bauh.* Rubus humilis, *Trag.* minor, *Dod.* In dumetis & sylvis. *Small Bramble, Dew-berry bush.*

Ruscus, Bruscus, Oxymyrsine. In sepibus & dumetis. *Butchers broome, Bruscus.*

Ruta muraria ; *v.* Adianthum album.

Ruta pratensis ; *v.* Thalictrum.

S

SAgitta major, *Matth. Dod.* Sagittaria aquat. *Plin.* Pistana Magonis, *Lob.* In aquis. *Broad Arrow-head.*

Sagittaria sive sagitta minor, *Matth. Lob. Dod. Small Arrow-head.*

Saginæ Spergula ; *v.* Spergula.

Salicornia : *v.* Kali majus.

Salix vulgaris arborescens longis angustis foliis. *Common Willow.*

Salix humilis angustifolia, ὄισ@, *Theophr.* Viminalis, *Dod.* amerina, *Plin. The Oysier.*

Salix caprea rotundifolia, *Tab. Ger. Round leaved Sallow.*

Salix caprea latifolia, *Ger. Broad, or rather long leaved Sallow.*

Salix latifolia humilis, *Ger.* pumila, *Tab.* In uliginosis. *Dwarfe Sallow.*

Salix angustifolia pumila : etiam in uliginosis. *Dwarfe Willow.*

Salvia agrestis, Salvia bosci, Scorodonia : In sylvis & dumetis. *Wood-sage.*

Sambucus vulgaris. In sepibus. *Elder, Hiller, Bore-tree.*

Sambucus aquatica, *Trag. Matth. Lob.* In sylvis humidis. *Water-Elder.*

Sanicula vulgaris, Diapensia, *Matth.* In sylvis. *Sanicle.*

Saponaria, *Lob. Dod. Ger.* Struthium sativum, *Fuch.* In sylvis humidis. Sopewort.

Satyrium basilicum *v.* Orchis palmata.

Saxifraga alba, *Fuch. Dod. Ger.* In locis aridis.

dis. *White Saxifrage.*

Saxifraga aurea; *Dod. Ger.* Chrysospleniū, *Tab.* In aquosis & umbrosis. *Golden saxifrage.*

Saxifraga Anglica umbellata, sive facie Seseli pratens. *Lob. Common Saxifrage.*

Saxifraga Anglica, *Advers. v.* Rubia cynanchica.

Saxifraga Anglicana alsinefolia, *Ger. emac.* In locis montosis sterilibus, ut etiam muris. *Pearle-wort, Chick-weed, Breake-stone.*

Saxifraga palustris alsinefolia, *Ger. emac. v.* Alsine tenuiss.

Scabiosa major vulgaris. Variat floris colore, cæruleo, aut albo. In satis & pratis. *Common Scabious.*

Scabiosa minor, sive Columbaria; variat floris colore. In montosis. *Small Scabious.*

Scabiosa minor, sive ovilla, *Cam. Dod.* Media, *Lob.* Rapuntium alterum leptophyllum capitatum, *Col.* Invenitur flore albo. In montosis. *Sheepes Scabious.*

Scandix; *v.* Pecten Veneris.

Scolopendria; *v.* Ceterach, & Phyllitis.

Scrophularia major, *Lob.* Ocymastrum alterum, *Trag.* In sylvis humidis. *Browne-wort.*

Scrophularia minor, *v.* Chelidonium minus.

Secale; seritur in agris. *Rye.*

Sedum, Aizoon, Sempervivum majus vulgare. In antiquis muris & tectis. *Great Housleeke, or Sengreene.*

Sedum minus, flo. albo. Vermicularis, Crassula minor, *Offic.* & Illecebra major, *Lob.* In locis saxosis & asperis. *White-flowred Prick-madame.*

Sedum,

Sedum medium teretifolium, *Lob. Ger.* In tectis. *Prick-madame.*

Sedum, sive Aizoon Scorpoides, *Lob. Ger.* etiam in tectis. *Scorpion Sengreene.*

Sedum sive Sempervivum minimum acre. Illecebra, *Offic.* Sedum. 3. *Diosc.* In muris, tectis, locis asperis & maritimis. *Stone-crop, Wall-pepper.*

Senecio major, *Matth. v.* Iacobæa.

Senecio, sive Erigeron vulgare, Carduncellus: ubique. *Grounsell.*

Senecio, sive Erigerum tomentosum, *Ger.* Ad agrorum margines. *Cotton Groundsell.*

Seriphium, *v.* Absinthium marinum.

Serapias; *v.* Orchis palmata.

Serpentina, *Matth.* Coronopus. *Ger.* In maritimis. *Sea Buck-horne, or Grasse-Plantaine.*

Serpillum vulgare, Sarxifranga, *Dod.* ubique in montosis. *Wilde Thyme, mother of Thyme.*

Serpillifolia, *Bauh. v.* Alsine palust.

Serratula, *Matth. Dod. Lob. Ger.* Centauroides, vel Centaurium majus syl. Germanicum, *Thal.* Variat flore albo. In sylvis. *Saw-wort.*

Sideritis Heraclia vel. 1. *Diosc. Col.* Stachys, *Fuch. Ger.* Pseudostachys, *Matth. Wilde stinking Horehound, or great Horehound.* Nigh *Witney* Parke in *Oxford-shire.*

Sideritis alt. *Diosc.* est Pimpinella sanguisorba.

Sideritis 3. *Diosc.* est Sanicula.

Sideritis. 1. gravis odoris, *Thal.* Panax Coloni & Marrubium aquaticum acutum, *Ger.* Stachys palustris, *Ges. Cam.* aquat. *Tab.* In locis humidis, etiamq; in arvis. *Clownes All-heale.*

Sideritis

Sideritis humilis lato obtuso folio, Sideritis Alsines Trissaginis folio, *Bauh.* Inter segetes. *Petty All-heale.*

Sideritis arvensis, *Cam. v.* Ladanum segetum.

Sigillum B. Mariæ : *v.* Bryonia nigra.

Sigillum Solomonis : *v.* Polygonatum.

Sinapi sativum vulgare : Ad agrorum margines. *Common Mustard.*

Sinapi sem. albo, Sinapi Apii, sive Lavaris folio, *Lob.* Sativum alterum. *Dod.* ad sepes. *White Mustard.*

Sinapi syl. minus Bursæ pastoris folio : *Lob.* Sinapi. 3. *Matth.* Irio Apulus alter lævifolio Erucæ. *Col.* Ad agrorum margines. *Small wilde Mustard.*

Sium erectum umbellatum, sive Pastinaca aquatica, *Lob.* Sium, *Matth.* odoratum, *Trag.* In rivulis. *Water Parsnep.*

Sium umbellatum repens, fortè Sium Matthioli, *Lugd.* In aquis ubique. *Creeping water Parsnep, or Bastard water Cresses.*

Sium alterum Olusatri facie, *Lob. Ger. emac.* In piscinis & stagnantibus aquis, sed rariùs. *Long-leaved water Cresses.*

Sium Cratevæ Erucæfolium, *Lob.* Nasturtium aquaticum, *Offic.* *Common water Cresses.*

Sison, *Cordi,* Petroselinum Macedonicum, *Fuch. Dod.* Amomum Germanicum, *Trag.* Ad fossas & sepes. *Bastard stone Parsley.*

Smilax lævis : *v.* Convolvulus major.

Solanum, sive Solatrum vulgare, hortense, *Matth. Dod. Lob.* In fimetis. *Night-shade.*

Solanum lignosum, sive Dulcamara, *Dod. Trag.*

Vitis

Vitis syl. *Matth.* In sepibus. *Woody Night-shade, Bitter-sweete.*

Solanum somniferum, *Lob.* Lethale, *Dod.* Bella donna, *Italorum.* In locis umbrosis. *Deadly Night-shade, or Dwale.*

Solanum tetraphyllum, *v.* Herba Paris.

Soldanella, Κράμβη θαλασσία, *Diosc.* In maritimis. *Sea Binde-weede, sea Cole, Soldanella, Scottish Scurvy-grasse.*

Sonchus asper vulgi, *Lob.* Sonchus asperior, *Ger.* In agris. *Prickly Sow-thistle.*

Sonchus Asper, *Ger.* Lævis, *Lob.* In agris & ad sepes. *Lesse prickly Sow-thistle.*

Sonchus lævis laciniatus vulgaris, Lactuca leporina, *Lob.* Inter olera & in agris. *Common Sow-thistle.*

Sonchus lævis latifolius, *Ger.* cum priore. *Broad leaved Sow-thistle.*

Sonchus alter folio sinuato hederaceo, *Lob.* Lævis muralis, *Ger. emac.* In umbrosis & muris. *Wall, or Ivy-leaved Sow-thistle.*

Sonchus arborescens, *Tab. Ger.* Inter segetes & in locis humidis. *Tree Sow-thistle.*

Sophia Chirurgorum, *Dod. Lob.* Nasturtium sylv. *Fuch.* Thalictrum, *Tab.* Ad agrorum margines. *Flix-weede.*

Sorbus sylvestris Alpina, *Lob.* Ornus, *Dod.* Fraxinea arbor, *Trag.* Sorbus aucuparia: *Quorund.* In sylvis & sepibus. *Quicken-tree, Roane-tree, wilde Service.*

Sorbus Aria cognominata, *Clus.* Sorbus pilosa, *Gesn.* Aria Theophrasti, effigie Alni, *Lob.* In montosis. *The white Beame-tree.*

Sorbus

Sorbus torminalis, Plinii, *Matth. Lob. Dod.* In sepibus & sylvis. *Common Service-tree.*

Sparganium ramosum, *Matth. Lob. Ger.* Platanaria, *Dod.* In aquis stagnantibus & paludosis. *Burre-flagge, or branched Burre-reede.*

Spartum spicâ secalinâ, sive Spartum Anglicanum, *Ger.* Gramen sparteum. 2. Scœnanthinum, *Tab.* *Great English Mat-weed, or Helm.* **On the further side of the Isle of** *Tenet.*

Spartum nostras alterum, *Lob.* Spartum Anglicanum alterum, *Ger.* In maritimis. *Small Mat-weede or Helme.*

Spartum nostras parvum, *Lob.* In ericetis & montosis. *Heath Mat-weed.*

Spatula fœtida, *v.* Xyris.

Speculum Veneris minus. *Ger. emac.* Inter segetes. *Codded corne Violet.*

Spergula vulgaris flo. albo. sive Saginæ Spergula, *Lob.* Anthylloides, *Thal.* Alsine terrestris altera τριχοφυλλΟς, *Col.* In agris frumentaceis. *Spurry.*

Spergula marina, *Lugd.* Anthylloides ad salinas Saxonicas, *Thal.* Alsine maritima Neapolitana, *Col.* *Sea Spurry.*

Spergula flore rubro: Alsine spergulæ facie minor, *Bauh.* In locis arenosis & sterilibus. *Chick-weede Spurry, Red Spurry.*

Sphondylium vulgare hirsutum, Acanthus Germanica, sive vulgaris, *Fuch.* Branca ursina, *Trag.* In pratis. *Cow Parsnep.*

Spina infectoria, *v.* Rhamnus.

Stachys, *v.* Sideritis.

Stellaria aquat. *Lob.* Alsine aquat. *Lugd.* *Starre-*

headed water Chick-weed.
Succisa, *v.* Morbus Diaboli.
Synanchice, *Dod. v.* Rubia cynanchica.
Symphytum, *v.* Consolida.

T

TAnacetum vulgare luteum, Artemisia monoclonos sive tenuifolia, *Fuch.* Artemisia. Dioscoridis, *Tab.* In arenosis & rivulorum ripis. *Tansie.*

Tapsus barbatus, *Offic.* Candela regia, Verbascum aut Phlomos vulgaris mas, *Diosc. Lob.* Ad sepes & agrorum margines. *Higtaper, Mulleine.*

Taxus, Σμίλαξ, *Diosc.* Μίλ☉, *Theoph.* In cœmiteriis. *The Yew Tree.*

Telephium vulgare, Fabaria, *Matth.* Faba inversa, Crassula major, *Lob.* ad agrorum margines. *Orpine, Live-long.*

Teucrium pratense ; *v.* Chamædrys syl.

Thalictrum, sive Thalietrum, *Lob. Ger.* Ruta pratensis, *Cord.* Est majus & minus. In pratis humidis. *Bastard Rubarbe, Meadow Rue.*

Thlaspi vulgare, *Offic.* vaccariæ fol. *Lob.* Ad agrorum margines, & inter segetes. *Mithridate Mustard, Bastard Cresses.*

Thlaspi Dioscoridis, Drabæ aut Camelinæ folio, *Lob. Ger.* Inter segetes. *Treacle Mustard, Penny-cresse.*

Tithymalus helioscopius, *Matth. Fuch. Lob. Ger.* In agris. *Sunne Spurge.*

Tithymalus characias amygdaloides, *Lob. Ger.* In sylvis. *Wood Spurge.*

Tithymalus paralius, *Lob. Ger.* In maritimis. *Sea Spurge.*

Tithy-

Tithymalus leptophyllos, *Matth. v.* Esula exig.

Tormentilla, *Offic.* & Consolida rubra, *Tab.* Heptaphyllum, *Fuch.* In ericetis & dumetis. *Tormentill.*

Trachelium majus, sive Cervicaria, *Lob.* Vvularia major, *Trag.* Variat flor. albo: nascitur in sepibus. *Great Throat-wort, or Canterbury bells.*

Trachelium minus, *Lob. Dod.* ut etiam Viola Calathiana, *Ger.* Cervicaria minor, *Tab.* Vvularia exigua; *Trag.* In montosis & aridis cretaceis. *Litle Throat-wort, or Canterbury Bells.*

Tragon, *Matth.* Kali spinosum, *Quorundam.*

Tragopogon vulgare, sive luteum; *Lob.* Barbulæ hirci, *Trag. Matth.* In pratis. *Goats-beard, Goe to bed at noone.*

Tribulus aquaticus minor Quercus floribus, *Clus. Ger. emac.* Pusillum fontilapathum, *Lob.* In stagnantibus aquis. *Small water Caltrops, or Frogges lettice.*

Tribulus aquat. minor Muscatellæ floribus: *Ger. emac.* In rivulis. *Small Frogges-lettice.*

Trichomanes, *v.* Capillus Ven.

Trifolium aquaticum, sive paludosum, *Lob. Ger.* Fibrinum; *Tab.* Isopyron, *Dod. Ges.* Menianthes palustre, *Lugd. Marsh Trefoile, Bucks Beanes.*

Trifolium pratense album, *Fuch. Dod. White-flowred Trefoile, or three-leaved Grasse.*

Trifolium pumilum supinum flosculis longis albis, nondum descriptum. In montosis. *White Dwarfe Trefoile.*

Trifolium pratense purpureum vulgatissimum.

Common

Common Trefoile, or three-leaved grasse.

Trifolium stellatum glabrum, *Ger. emac. Smooth starry-leaved Trefoile.*

Trifolium fragiferum, *Clus. Ger. emac.* Vesicarium, *Quorund.* Hoc cum priore nascitur in salsis & maritimis. *Strawberry, or bladder Trefoile.*

Trifolium luteum, vel agrarium, *Dod.* Luteum alterum lupulinum, sive Lupulus sylvaticus; *Thal. Ger. emac.* In agris & pratis. *Hop-Trefoile.*

Trifolium luteum minimum, *Ger. emac.* Luteum capitulo breviore, *Thal.* Trifolii genus Medicæ simile, *Ges.* Medica sem. racemoso. *Litle yellow Trefoile.*

Trifolium cochleatum folio cordato maculato, *Bauh.* cordatum, *Ger.* Medica Arabica, *Cam.* In pratis. *Heart Trefoile, or spotted snaile Trefoile.*

Trifolium syl. luteum siliqua cornuta, vel Medica frutescens, *Bauh.* Medica flav. flore, *Clus.* Lens major repens, *Tab.* In montosis. *Yellow horne Trefoile.*

Trifolium acetosum vulgare, Lujula, Alleluja, *Offic.* Oxys Plinii, *Fuch. Dod.* Panis Cuculi. *Brunfelsii.* In sylvis, *Wood-sorrell.*

Trifolium corniculatum primum, *Dod. Thal.* Siliquosum minus, *Tab. Ger.* In pratis. *Small codded Trefoile, Birds-foote Trefoile.*

Trifolium corniculatum majus hirsutum: In pratis humidis & ad sepes. *Great-codded Trefoile, hairy Birds-foote Trefoile.*

Trifolium odoratum; *Dod. v.* Melilotus vulgaris.

Tri-

Tripolium vulgare, *Lob. Ger.* Amelli species palust. *Col.* est majus, & minus. In maritimis & ad fluminum ripas. *Sea Starre-wort, blew sea Daisyes: Hogges Beanes.*

Triticum, sive Siligo spicâ muticâ, *Lob. Ger.* Seritur in agris. *White Wheate.*

Triticum aristis circumvallatum, Typhinum, *Dod.* Seritur in arvis. *Red Wheate.*

Tussilago, Bechion, Farfara, Vngula caballina. In locis humidis. *Coltes-foote, Foles-foote.*

Turritis major, Turrita major, *Clus.* Brassica syl. ramosa tota penè glabra; *Bauh.* Brassica syl. procera, *Thal.* *Towers Mustard.* **It growes a litle on this side the first Gate one passes through, after they are downe** *Beacon* **hill, going from** *Marleborrow* **towards** *Bathe.*

Tragopyron; *v.* Fegopyron.

Typha palustris, *Cord. Dod.* Variat magnitudine. *Cats-taile, Reed-mase.*

V

VAccinia nigra, *Dod.* Myrtillus, *Matth.* Vitis Idæa vulgaris, *Clus.* Idæa: I. *Tab.* In ericetis & montosis. *Black-worts, Wortle or Hurtle-berries.*

Vaccinia palustria, *Lob. Dod.* Oxycoccum, *Cordi.* Vitis Idæa palustris; *Clus.* In uliginosis. *Fenne berryes, Moore-berryes, Marsh Wortles.*

Valeriana, sive Phu majus syl. *Dod.* palustris; *Cam.* In rivulorum ripis. *Great water Valerian.*

Vale-

Valeriana syl. minor. In humidis pratis & sylvis. *Small wilde Valerian.*

Valeriana petræa, *Ger.* Inter segetes. *Stone Valerian.*

Verbascum ; *v.* Tapsus barbatus.

Verbascum lychnite, *Matth.* candidum fœmina, *Fuch.* In montosis & cretaceis. *Candle-weeke Mulleine.*

Verbena communis : ad semitas. *Vervaine.*

Veronica mas, *Dod. Fuch.* vera, & major, *Lob.* In ericetis. *Speedwell Fluellen.*

Veronica pratensis, *Dod.* minor, *Tab.* Betonica Pauli, *Quorund. Litle Fluellin, or smooth Fluellin.*

Veronica fœmina : *v.* Elatine.

Viburnum, *Matth.* Viurna vulgi Gallorum & Ruellii, *Lob.* In sepibus. *Wayfairing tree, Cotton tree.*

Vicia : *Tab. v.* Lathyrus syl.

Vicia maxima sylvatica, nondum descripta, fortè Vicia maxima sylvatica ; *Io. Bauhini. Great wood Vetch, or Fetch.* **In a wood nigh** *Bathe.*

Vicia vulgaris, vel sativa ; *Common Vetch, or Fetch.*

Vicia dumetorum ; *v.* Aracus.

Viola aquat ; *v.* Millefol. aquat.

Viola purpurea sive Martia vulgaris, sub sepibus & dumetis. *Purple Violet, or March Violet.*

Viola serotina, sive canina. In sylvis & agris. *Late Violet, Dogges Violet.*

Viola, sive Iacea tricolor sylvestris parva, In agris. *Wilde Pansies.*

Viorna

Viorna vulgi, *Lob.* Ατραγένη, Theophrasti, *Clus.* Clematis, 3. *Matth.* Sepes ornat juxta vias. *Travellers joy.*

Virga aurea serratis foliis, *Tab.* vel margine crenato, *Dod.* In ericetis & montosis. *Golden Rodde.*

Virga pastoris ; *v.* Dipsacus minor.

Viscus, vel Viscum arborum nascitur in Quercubus, Pomis, Pyris, &c. *Misseltoe.*

Vlmaria, Regina prati, *Dod.* Barba capri, *Lob.* In aquosis. *Meade-sweete.*

Vlmus vulg. folio lato scabro. In sepibus. *The common Elme-tree.*

Vlmus minor folio angusto scabro ; *Ger. emac.* In sepibus. *The narrow-leaved Elme.*

Vlmus folio latissimo scabro: *Ger. emac.* In sepibus & sylvis. (*Elme.*

Vlmus folio glabro, *Ger. emac.* In sepibus. *Witch*

Vmbilicus Veneris, *Matth.* Scatum cœli, Herba coxendicum, *Quorund.* Cotyledon, *Lob. Clus.* *Navillwort, Kidney-wort.* **Upon the Walls at** *Mangerſfield*, **and about** *Bathe.*

Vulvaria, *v.* Atriplex olida.

Vvularia, *v.* Trachelium.

Vrtica vulgaris urens, *Trag.* Vrticæ fœmina & communis, *Dod.* *Common Nettle.*

Vrtica minor acrior, *Lob.* urens minima, *Dod.* *Small stinging Nettle.*

Vrtica non mordax : *v.* Lamium.

Vrtica herculea, *Tab. v.* Galeopsis.

X

XYris, sive Spatula fœtida, *Matth. Lob. Ger.* In sylvis humidis. *Stinking Gladdon.*

Nomi-

Nominum citatorum Authorum explanatio.

ADvers. *Adverſaria Petri Penæ, & Matthiæ de Lobell.*
Anguil. *Aloyſius Anguillara.*
Bauh. *Caſparus Bauhinus.*
Cam. *Ioachimus Camerarius.*
Clus. *Carolus Cluſius.*
Colum. *Fabius Columna.*
Cord. *Valerius Cordus.*
Diosc. *Dioſcorides Anazarbeus.*
Dod. *Rembertus Dodonæus.*
Fuch. *Leonardus Fuchſius.*
Ger. *Iohannes Gerardus.*
Ger. emac. *Gerardus à me emaculatus, & auctus.*
Ges. *Conradus Geſnerus.*
Lob. *Matthias de Lobell.*
Lon. *Adamus Lonicerus.*
Lugd. *Hiſtoria Plantarum Lugduni cuſa.*
Matth. *Petrus Andreas Matthiolus.*
Offic. *Officinis uſitatum nomen.*
Plin. *C. Plinius.*
Tab. *Iacobus Theodorus Tabernæmontanus.*
Thal. *Iohannes Thalius.*
Theoph. *Theophraſtus Ereſius.*
Trag. *Hieronymus Tragus.*

F I N I S.